

PURITEC HNS UV-C

UV-C lamps for purification



Aree applicative

- Disinfezione efficace dell'aria, dell'acqua e delle superfici

Vantaggi prodotto

- Disinfezione efficiente e sostenibile senza prodotti chimici
- Ridotto contenuto di mercurio
- Lunga durata grazie al particolare rivestimento
- Senza ozono

Caratteristiche prodotto


- Lunghezza d'onda dominante: 254 nm (versione OFR)




Scheda della famiglia di prodotto




325768_HNS 455




325771_HNS S



325770_HNS SE



325716_HNS L 18W 2G11



325769_HNS L

Scheda della famiglia di prodotto

Dati tecnici

Descrizione del prodotto	Informazioni sul prodotto Numero d'ordine	Dati elettrici			Dati fotometrici	
		Tensione nominale	Tensione di lampada	Tensione di costruzione	Potenza nominale	Intensità luminosa
HNS 4 W G5	HNS 4W G5	NaN V	29 V	29,00 V	4,00 W	7800 cd
HNS S 5 W G23 ¹⁾	HNS S 5W 35V G2	35,0 V	35 V	35,00 V	5,00 W	7800 cd
HNS 6 W G5	HNS 6W G5	42,0 V	42 V	42,00 V	6,00 W	7800 cd
HNS S/E 7 W 2G7	HNS S/E 7W 37V	37,0 V	37 V	37,00 V	6,50 W	7800 cd
HNS S 7 W G23 ¹⁾	GCF7DSG2 3SEOF 1	46,0 V	46 V	46,00 V	7,00 W	7800 cd
HNS 8W G5 G5	HNS 8W 56V G5	56,0 V	56 V	56,00 V	7,00 W	7800 cd
HNS S/E 9 W 2G7	HNS S/E 9W 48V	48,0 V	60 V	48,00 V	8,00 W	7800 cd
HNS S 9 W G23 ¹⁾	GCF9DSG2 3SEOF 1	60,0 V	60 V	60,00 V	9,00 W	7800 cd
HNS 11 W G5	HNS 11W G5	33,0 V		33,00 V	11,00 W	7800 cd
HNS S/E 11 W 2G7	HNS S/E 11W 75V	75,0 V	75 V	75,00 V	11,00 W	7800 cd
HNS S 11 W G23 ¹⁾	GCF11DSG 23SEOF	91,0 V	91 V	91,00 V	11,00 W	7800 cd
HNS S 13 W GX23	HNS S 13W 59V G		95 V		13,40 W	7800 cd
HNS 15 W G13	HNS 15W G13	55,0 V	55 V	55,00 V	15,00 W	7800 cd
HNS 16 W G5	HNS 16W G5		75 V		16,00 W	7800 cd
HNS L 18 W 2G11	HNS-L 18W 58V 2	58,0 V	58 V	58,00 V	18,00 W	7800 cd
HNS L 24 W 2G11	HNS-L 24W 87V 2	87,0 V	87 V	87,00 V	24,00 W	7800 cd
HNS 25 W G13	HNS 25W G13	46,0 V	46 V	46,00 V	25,00 W	7800 cd
HNS 30 W G13	HNS 30W G13	96,0 V	96 V	96,00 V	30,00 W	7800 cd
HNS 36 W G13	HNS 36W G13	103 V	103 V	103,00 V	36,00 W	7800 cd
HNS L 36 W 2G11	HNS-L 36W 106V	106 V	106 V	106,00 V	36,00 W	7800 cd
HNS 55 W G13	HNS 55W 83V G13	83,0 V	83 V	83,00 V	55,00 W	7800 cd
HNS L 55 W 2G11	HNS-L 55W 101V	101 V	101 V	101,00 V	55,00 W	7800 cd
HNS L 60 W 2G11	HNS-L 60W 82V 2	82,0 V	82 V	82,00 V	60,00 W	7800 cd

Scheda della famiglia di prodotto

Descrizione del prodotto	Informazioni sul prodotto Numero d'ordine	Dati elettrici			Dati fotometrici	
		Tensione nominale	Tensione di lampada	Tensione di costruzione	Potenza nominale	Intensità luminosa
HNS L 95 W 2G11	HNS-L 95W 115V	115 V	115 V	115,00 V	95,00 W	7800 cd

Descrizione del prodotto	Potenza irradiata 200...280 nm (UVC)	Dimensioni e peso		Durata	Dati di prodotto aggiuntivi Attacco (denominazione da norma)
		Diametro	Lunghezza		
HNS 4 W G5	0.9 W	16,0 mm	136,0 mm	6000 h	G5
HNS S 5 W G23 ¹⁾	1.3 W	28,0 mm	108,0 mm	8000 h	G23
HNS 6 W G5	1.7 W	16,0 mm	212,0 mm	9000 h	G5
HNS S/E 7 W 2G7	1.9 W	28,0 mm	112,0 mm	8000 h	2G7
HNS S 7 W G23 ¹⁾	1.8 W	28,0 mm	135,5 mm	8000 h	G23
HNS 8W G5 G5	2.0 W	16,0 mm	288,0 mm	9000 h	G5
HNS S/E 9 W 2G7	2.5 W	28,0 mm	142,0 mm	8000 h	2G7
HNS S 9 W G23 ¹⁾	2.5 W	28,0 mm	165,5 mm	8000 h	G23
HNS 11 W G5	2.5 W	16,0 mm	212,0 mm	9000 h	G5
HNS S/E 11 W 2G7	3.6 W	28,0 mm	212,0 mm	8000 h	2G7
HNS S 11 W G23 ¹⁾	3.0 W	28,0 mm	235,5 mm	8000 h	G23
HNS S 13 W GX23	3.4 W	28,0 mm	179,0 mm	8000 h	GX23
HNS 15 W G13	4.9 W	26,0 mm	438,0 mm	9000 h	G13
HNS 16 W G5	4.0 W	16,0 mm	288,0 mm	9000 h	G5
HNS L 18 W 2G11	5.5 W	40,0 mm	214,0 mm	9000 h	2G11
HNS L 24 W 2G11	7.3 W	40,0 mm	314,5 mm	9000 h	2G11
HNS 25 W G13	6.9 W	26,0 mm	438,0 mm	9000 h	G13
HNS 30 W G13	12 W	26,0 mm	895,0 mm	9000 h	G13
HNS 36 W G13	15 W	26,0 mm	1200 mm	9000 h	G13
HNS L 36 W 2G11	10.8 W	40,0 mm	408,0 mm	9000 h	2G11
HNS 55 W G13	18.0 W	26,0 mm	895,0 mm	9000 h	G13
HNS L 55 W 2G11	17 W	40,0 mm	533,0 mm	9000 h	2G11
HNS L 60 W 2G11	19 W	40,0 mm	408,0 mm	9000 h	2G11
HNS L 95 W 2G11	27 W	40,0 mm	533,0 mm	9000 h	2G11

Descrizione del prodotto	Caratteristiche Posizione di funzionamento	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)		
		Date of Declaration	Primary Article Identifier	Candidate List Substance 1
HNS 4 W G5	Universale	25-11-2022	4008321378316 4008321473530	Lead
HNS S 5 W G23 ¹⁾	Universale	28-04-2023	4008321229946 4008321516251	Lead

Scheda della famiglia di prodotto

Descrizione del prodotto	Caratteristiche Posizione di funzionamento	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)		
		Date of Declaration	Primary Article Identifier	Candidate List Substance 1
HNS 6 W G5	Universale	25-11-2022	4008321378330 4008321472052	Lead
HNS S/E 7 W 2G7	Universale	23-12-2022	4008321383891	Lead
HNS S 7 W G23 ¹⁾	Universale	23-12-2022	4050300941202 4008321516237	Lead
HNS 8W G5 G5	Universale	25-11-2022	4008321378385 4008321484901	Lead
HNS S/E 9 W 2G7	Universale	19-05-2023	4008321384911	Lead
HNS S 9 W G23 ¹⁾	Universale	23-12-2022	4050300941226 4008321516244	Lead
HNS 11 W G5	Universale	25-11-2022	4008321468796 4006584926510 4052899984554	Lead
HNS S/E 11 W 2G7	Universale	19-05-2023	4008321384935	Lead
HNS S 11 W G23 ¹⁾	Universale	23-12-2022	4050300941240 4008321516268	Lead
HNS S 13 W GX23	Universale	19-05-2023	4052899040410	Lead
HNS 15 W G13	Universale	25-11-2022	4008321398826 4008321770240 4008321770271	Lead
HNS 16 W G5	Universale	19-01-2022	4008321620774	Lead
HNS L 18 W 2G11	s 180	23-12-2022	4008321220431 4008321516183	Lead
HNS L 24 W 2G11	s 180	23-12-2022	4008321220561 4008321516176	Lead
HNS 25 W G13	Universale	23-12-2022	4008321398857 4052899083905 4052899083851 4052899469594	Lead
HNS 30 W G13	Universale	09-12-2022	4008321398888 4008321770301	Lead
HNS 36 W G13	Universale	26-05-2023	4008321679482 4052899084049 4052899084018 4052899589872	Lead
HNS L 36 W 2G11	s 180	23-12-2022	4008321220684 4008321515773	Lead
HNS 55 W G13	Universale	25-11-2022	4052899083981 4052899083936	Lead
HNS L 55 W 2G11	s 180	19-05-2023	4052899012394	Lead
HNS L 60 W 2G11	s 180	09-12-2022	4052899012462	Lead
HNS L 95 W 2G11	s 180	09-12-2022	4052899012509	Lead

Scheda della famiglia di prodotto

Descrizione del prodotto	CAS No. of substance 1	Safe Use Instruction	Declaration No. in SCIP database
HNS 4 W G5	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	9629ae32-1ea2-49f0-a16c-a3c5c1a5eda3
HNS S 5 W G23 ¹⁾	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	c7e31123-61fb-4866-8ae5-ed7de1ea68ed
HNS 6 W G5	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	1384e099-d808-4f3f-b32f-2a2e0fc61314
HNS S/E 7 W 2G7	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	f8f7d61b-d913-4bcc-93c4-aec117a1c20a
HNS S 7 W G23 ¹⁾	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	670ca33b-59b5-48a3-9280-3d81dad7cb7d
HNS 8W G5 G5	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	ddb742fd-df4d-4156-ab9d-c49f4e7f9bcd
HNS S/E 9 W 2G7	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	1f58acef-8dc5-497c-bf0c-a64e11df09cd
HNS S 9 W G23 ¹⁾	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	17eeb121-e115-4a9a-9f82-1e2bdb76043
HNS 11 W G5	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	CCAD55A7-CC5E-4FC4-8E66-249322F356CD a4b7c793-99b3-4615-9ec5-b40fadd330b8

Scheda della famiglia di prodotto

Descrizione del prodotto	CAS No. of substance 1	Safe Use Instruction	Declaration No. in SCIP database
HNS S/E 11 W 2G7	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	9fcb620a-b8d7-4c8f-aae5-b0fbd67a6e4c
HNS S 11 W G23 ¹⁾	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	ac57a5ee-07a1-4bd0-8148-8a274eccafcb
HNS S 13 W GX23	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	1590cddb-2c9f-4eac-9176-fae5b4038478
HNS 15 W G13	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	442875DF-DCDC-44CB-AEF9-F5436B886121 96EFBFEB-8770-4553-99E4-6FA5F776148A c4e92f04-a849-43d2-8176-69b5704dc3b8
HNS 16 W G5	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	AC85F80F-B583-4F45-BE47-8240AA8AB8AA
HNS L 18 W 2G11	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	a3538943-4777-466f-a760-b1ffa32a9da4
HNS L 24 W 2G11	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	75c6667e-67b9-4606-a40d-98b7313f320b
HNS 25 W G13	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	3cb04848-4b74-46d0-82b1-a9394e516b8f e32b7393-dbc6-4441-a23b-004ae3b9e4e3

Scheda della famiglia di prodotto

Descrizione del prodotto	CAS No. of substance 1	Safe Use Instruction	Declaration No. in SCIP database
HNS 30 W G13	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	331CB7F6-5AE6-4C99-AA71-53C4B13FD145 50822a8b-c63b-4ffa-87ed-642706ca1852
HNS 36 W G13	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	eef8a440-9982-4156-9bed-5f2b0d4f47eb 40609A7C-A22C-446D-9F5C-E9E342B07F10 fb780142-3370-46b2-aac3-fdb182b410b1
HNS L 36 W 2G11	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	d0f3f32e-ce1f-45c6-ba26-34abeab8994a
HNS 55 W G13	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	bbcb9425-ccd7-4992-a007-5df3cd820581 76b4651b-5f2f-4916-8f11-667fba406620
HNS L 55 W 2G11	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	6968a52c-58f7-4147-b1cd-8bfd6fc5c304
HNS L 60 W 2G11	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	6d62fa70-79ce-4676-a92b-ed270fde7c7d
HNS L 95 W 2G11	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	127f0d8d-f0fc-45d0-87e4-06d76f034902

¹⁾ Densità di flusso radiante UV di 253,7 nm, misurata a una distanza di 1 m dal centro della lampada, con temperatura ambiente di 20 °C, funzionamento libero. Tra 0,3 e 3,0 m la densità del flusso radiante è inversamente proporzionale al quadrato della distanza

Scheda della famiglia di prodotto

Informazione sulla sicurezza

Le lampade germicide PURITEC emettono radiazioni UV ad alta intensità in grado di provocare scottature e congiuntivite. Evitare l'esposizione di pelle e occhi alla radiazione dirette o riflesse senza filtri.

Consigli di applicazione

Per informazioni più dettagliate e grafici consultare la scheda tecnica

Clausola

Con riserva di modifiche senza preavviso. Salvo errori o omissioni. Assicurarsi sempre di utilizzare la versione più recente.