

ORIGINAL - GLASS WEDGE BASE

Original spare part



The cost-effective original spare parts for trucks

The ORIGINAL signal lamps with glass wedge bases are available as original spare parts for different lamp types. Use these original spare parts for interior lighting, as reading lights, for instrument and switch lighting, as position and parking light and a lot of other applications in your truck. Discover these reliable lamps and OSRAM's proven high quality.



Product family datasheet

Technical data

	Product information	General Product Information	Electrical Data		
Product description	Application (Category and Product specific)	Global order reference	Power input	Nominal voltage	Nominal wattage
ORIGINAL - WEDGE BASE W3W	Auxiliary lamp	2841	4 W	24 V	3 W
ORIGINAL - WEDGE BASE W5W	Auxiliary lamp	2845	7 W	24 V	5 W
ORIGINAL - WEDGE BASE 2741	Auxiliary lamp	2741	1.6 W	24 V	1 W
ORIGINAL - WEDGE BASE 2840	Auxiliary lamp	2840	2.6 W	24 V	2 W
ORIGINAL - WEDGE BASE 2341	Auxiliary lamp	2341	1 W	24 V	1 W

			Photometric Data		Physical Attributes & Dimensions
Product description	Power input tolerance	Test voltage	Nominal luminous flux	Luminous flux tolerance	Lamp base
ORIGINAL - WEDGE BASE W3W	±15 %	28.0 V	22 lm	±30 %	W2.1x9.5d
ORIGINAL - WEDGE BASE W5W	±10 %	28.0 V	50 lm	±20 %	W2.1x9.5d
ORIGINAL - WEDGE BASE 2741	±8 %	28.0 V	7.5 lm	±20 %	W2x4.6d
ORIGINAL - WEDGE BASE 2840	±15 %	28.0 V	13 lm	±30 %	W2.1x9.5d
ORIGINAL - WEDGE BASE 2341	±8 %	28.0 V	3 lm	±25 %	W2x4.6d

				Lifetime Data	
Product description	Length	Diameter	Diameter	Lifespan B3	Lifespan Tc
ORIGINAL - WEDGE BASE W3W	26.8 mm	10.0 mm	10.0 mm	500 hr	5000 hr
ORIGINAL - WEDGE BASE W5W	26.8 mm	10.0 mm	10.0 mm	800 hr	3000 hr
ORIGINAL - WEDGE BASE 2741	20.0 mm	5 mm	5 mm	400 hr	2000 hr
ORIGINAL - WEDGE BASE 2840	26.8 mm	10.0 mm	10.0 mm	500 hr	5000 hr
ORIGINAL - WEDGE BASE 2341	20.0 mm	5 mm	5 mm	300 hr	1000 hr

	Capabilities	Certificates & standards	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Product description	Technology	ECE category	Primary article identifier	Candidate list substance 1
ORIGINAL - WEDGE BASE W3W	AUX	W3W	4008321094728 4052899407275 4052899560482 4050300926025	No declarable substances contained
ORIGINAL - WEDGE BASE W5W	AUX	W5W	4050300891552 4008321787897 4052899407329 4052899560512 4008321139962	No declarable substances contained
ORIGINAL - WEDGE BASE 2741	AUX	-	4050300838519 4008321012876	No declarable substances contained

Product family datasheet

	Capabilities	Certificates & standards	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Product description	Technology	ECE category	Primary article identifier	Candidate list substance 1
ORIGINAL - WEDGE BASE 2840	AUX	-	4050300888910 4008321094698 4052899560451	No declarable substances contained
ORIGINAL - WEDGE BASE 2341	AUX	-	4008321013200 4008321132529	No declarable substances contained

Product description	Declaration no. in SCIP database
ORIGINAL - WEDGE BASE W3W	No declarable substances contained
ORIGINAL - WEDGE BASE W5W	No declarable substances contained
ORIGINAL - WEDGE BASE 2741	No declarable substances contained
ORIGINAL - WEDGE BASE 2840	No declarable substances contained
ORIGINAL - WEDGE BASE 2341	No declarable substances contained

Download Data

File	
	User instruction GPRS_Safety symbols instructions

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

