OSRAM

ORIGINAL - FESTOON

Original spare part





The cost-effective original spare parts for trucks

The ORIGINAL festoon lamps with OSRAM's reliable OEM quality can be used as original spare parts for 24 volt lamps. The typical application areas of the lamps are number plate and side position lights as well as interior lighting and reading lights.

Product family datasheet

Technical data

| | Electrica | Electrical Data | | | | Photometric Data |
|-----------------------|----------------|-----------------|-----------------|---------------------------------|-----------------|-----------------------------|
| Product description | Power input | Nominal voltage | Nominal wattage | Power input toleranc e | Test voltage | Nominal luminous flux |
| ORIGINAL FESTOON C5W | 7 W | 24 V | 5 W | ±10 % | 28.0 V | 45 lm |
| ORIGINAL FESTOON 6421 | 3 W | 24 V | 3 W | ±10 % | 28.0 V | 17 lm |
| ORIGINAL FESTOON 6424 | 7 W | 24 V | 5 W | ±10 % | 28.0 V | 60 lm |
| ORIGINAL FESTOON 6429 | 10 W | 24 V | 10 W | ±10 % | 28.0 V | 105 lm |

| | | Physical Attributes & Dimensions | | |
|-----------------------|-------------------------|----------------------------------|---------|----------|
| Product description | Luminous flux tolerance | Lamp base | Length | Diameter |
| ORIGINAL FESTOON C5W | ±20 % | SV8.5-8 | 36.0 mm | 11.0 mm |
| ORIGINAL FESTOON 6421 | ±20 % | SV8.5-8 | 41.0 mm | 11.0 mm |
| ORIGINAL FESTOON 6424 | ±20 % | SV8.5-8 | 41.0 mm | 11.0 mm |
| ORIGINAL FESTOON 6429 | ±20 % | SV8.5-8 | 41.0 mm | 11.0 mm |

| | | Lifetime D | Lifetime Data | | Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh) |
|-----------------------|----------|----------------|----------------|-----------------|--|
| Product description | Diameter | Lifespan B3 | Lifespan Tc | ECE category | Primary article identifier |
| ORIGINAL FESTOON C5W | 11.0 mm | 1500 hr | 4000 hr | C5W | 4050300831435 4008321007711 4050300925981 |
| ORIGINAL FESTOON 6421 | 11.0 mm | 800 hr | 1500 hr | - | 4008321007896 4008321090768 |
| ORIGINAL FESTOON 6424 | 11.0 mm | 1000 hr | 2000 hr | - | 4050300891712 4008321007742 |
| ORIGINAL FESTOON 6429 | 11.0 mm | 300 hr | 600 hr | - | 4008321007568 4008321090836 |

| Product description | Candidate list substance 1 | Declaration no. in SCIP database |
|-----------------------|------------------------------------|-------------------------------------|
| ORIGINAL FESTOON C5W | No declarable substances contained | No declarable substances contained |
| ORIGINAL FESTOON 6421 | No declarable substances contained | No declarable substances contained |
| ORIGINAL FESTOON 6424 | No declarable substances contained | No declarable substances contained |
| ORIGINAL FESTOON 6429 | No declarable substances contained | No declarable substances contained |

Product family datasheet

Download Data

File



User instruction
GPRS_Safety symbols instructions

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.













