OSRAM

LEDriving BASIC R10W



Product family datasheet

Technical data

	Product information	Product information		General Product Information		Electrical Data	
Product description	Application (Category and Product specific)	Product type (off- road vs. on-road)	Global referen		Power input	Nominal voltage	
LEDriving BASIC ≜ R10W	Mainly used for signal/ indicator applications	Off-road ≙ R10W	5108C\	W	1.44 W	12 V	
			Photome	etric Data		Physical Attributes & Dimensions	
Product description	Nominal wattage	Test voltage	Nominal flux	luminous	Luminous flux tolerance	Diameter	
LEDriving BASIC	1 W	13.5 V	85 lm		±20 %	19.0 mm	
		Lifetime Da			Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)		
Product description	Diameter	Lifespan B3	Lifespan Tc	Technology	Primary arti	icle	
LEDriving BASIC R10W	19.0 mm	2000 hr	2000 hr	LED	405289941	4570	

Product description	Candidate list substance 1	CAS No. of substance	Safe use instruction	Declaration no. in SCIP database
LEDriving BASIC ≜ R10W	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	1068a570-b34f- 446b-84ce- 0f878db5b787 2115fbba-97ea- 4065-9557- f01077d71065 3d88abbd-dd35- 4bb0-bea6- 4442158e669d b202dc8f-679a- 4862-8048- 9e2fbcf9ed99 dcfc1ce0-153b-4d18- a86d-faf190a5a112

4052899463141 | 4052899414594 | 4052899463356

Product family datasheet

Download Data

File



User instruction

GPRS_Safety symbols instructions



Brochures

LEDriving Retrofits - Exchange overview (EN)

Legal advice

Not ECE conformOnly approved for off-road use. Any use on public road traffic leads to cancellation of vehicle operating licence and loss of insurance cover.

References / Links

Guarantee terms are available at www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

