

Scheda della famiglia di prodotto

TYREseal ESSENTIAL KIT



Flat tyre repair kit with 450ml sealant and analogue tyre inflator

Quick, versatile and simple to use



TPMS Safe

Works with TPMS valves



Realizzato secondo le specifiche OE

Direct replacement for the cars original tyre sealant



Nessun attrezzo richiesto

No need to remove the valve core



KIT OSRAM TYREseal

The OSRAM TYREseal KIT ESSENTIAL includes a 450ml bottle of tyre sealant and a premium analogue tyre inflator. Made to OE specification using the latest particle gel technology, the OSRAM tyre sealant will repair punctures up to 6mm and can then be driven on for up to 200km, so you are able to complete your journey or get a replacement tyre from a service centre. With no tools or jacks required, the process of repairing a punctured tyre is quick and easy and will get you back on the road within 10mins. The kit is supplied with a velcro backed storage for secure storage in the boot. The included inflator is supplied with long-reach cables and valve adaptors, making it ideal for inflating tyres, bicycles and inflatables. The sealant is designed to flow through valves so it is safe to use with TPMS valves. No need to remove valve cores. Once the tyre is off, the sealant can be washed out easily to allow for a permanent repair if desired. The solution is non-toxic, so when it is rinsed out, it is environmentally friendly.

Scheda della famiglia di prodotto

Dati tecnici

Descrizione del prodotto	Dati di prodotto aggiuntivi	Informazioni ambientali e normative Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)		
	Tipo di visualizzazione	Elenco candidati Sostanza 1	N. CAS della sostanza 1	Istruzioni per un utilizzo sicuro
TYRE seal KIT ESSENTIAL	Analogue	Lead	7439-92-1	L'identificazione della sostanza dell'elenco di sostanze candidate è sufficiente a consentire un uso sicuro dell'articolo.

Descrizione del prodotto	Numero di dichiarazione nel database SCIP
TYRE seal KIT ESSENTIAL	ba8ac869-123c-4893-96da-afc82b02f0be

Scheda della famiglia di prodotto

Consigli di applicazione

Per informazioni più dettagliate e grafici consultare la scheda tecnica

Clausola

Con riserva di modifiche senza preavviso. Salvo errori o omissioni. Assicurarsi sempre di utilizzare la versione più recente.