OSRAM

LEDinspect SLIM 500

Inspectionlights





Foldable lamp High flexibility and diverse adjustment possibilities thanks to multi angle positioning



500 Lumen Three light functions - high with up to 500 lm, low with up to 250 lm and torchlight function with up to 70 lm



Protection class IP54 & IK07

Protection against the ingress of dust and splashing water according to IP54 and is tested for impact resistance according to IK07



2-year OSRAM Guarantee

Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers.



Light is versatile

This high-quality inspection light from OSRAM is perfect for professional and private use.

With three light functions - high with up to 500 lm, low with up to 250 lm and torchlight function with up to 70 lm- this light offers high flexibility and diverse adjustment possibilities. The ultra-flat design in combination with the multi-angle positioning -270° rotatable and 180° swivelingallows the light beam to be directed exactly where it is needed.

The inspection light is rechargeable, and the integrated charge level indicator shows the current status of the battery. A USB Type-C charging cable and the

corresponding power adaptor are included in the scope of supply. The LEDinspect SLIM 500 can be used for up to six hours at low power and up to four hours at high power. In accordance with IP54 protection rating, this inspection light has protection against ingress of particles with 1.0 mm and against splashing water and is tested for impact resistance in accordance with IK07. This LED light is easy to carry, has a non-slip and dirt-repellent surface, includes an integrated hook & magnets for hands-free work and easy attachment, making it ideal for craft activities, car repairs and everyday use. In addition, OSRAM provides a 2-year guarantee on this product*.

Technical data

| | Product information Application (Category and Product specific) | | General Product Information Global order reference | | Electrical Data Nominal voltage N | | | |
|---------------------|---|-------------------------------|---|------------------------------|--------------------------------------|-----------------------------------|--|--|
| Product description | | | | | | | Nominal wattage | |
| INSPECTION LAMP | LED inspection lights | | LEDIL403 | LEDIL403 3.7 V | | | 9 W | |
| | Photometric Data | | | | Physica Dimens | | al Attributes & sions | |
| Product description | Light color LED | | | l luminous Color temperature | | Height | : | |
| INSPECTION LAMP | White | 500 lm | | 5700 K | | 41 mm | | |
| | | | | | | | LED module information | |
| Product description | Width | | Length | | Product weig | lht | Number of LEDs per module | |
| INSPECTION LAMP | 45.0 mm | | 175.0 mm | 155.00 g | | | 2 | |
| | Colors & materials | | Lifetime Data | Additional product data | | 9 | | |
| Product description | Base color | Base color | | | | | Number of included batteries | |
| INSPECTION LAMP | Black / Orange | | 2 years | Yes | | 1 | | |
| | | | Capabilities | Certificates & standards | | Logistical data | | |
| Product description | Type of Batte | Type of Battery | | IK Class | | Watt hour per battery | | |
| INSPECTION LAMP | Rechargeable | 9 | LED | IK08 | | 9.62 | | |
| | | - | latory Informat Art. 33 of EU Re | | (EC) 1907/200 | 6 (REACh) |) | |
| Product description | Candidate lis substance 1 | Candidate list substance 1 | | bstance | Safe use instruction | | Declaration no. in SCIP database | |
| INSPECTION LAMP | Lead | | | 7439-92-1 | | ation of e List allow ne | abf165c4-c2f3-4ed4- 83e9-757384ad2096 | |

Download Data

| | File |
|---|---|
| 7 | User instruction LEDinspect SLIM 500 |
| 7 | User instruction GPRS_Safety symbols instructions |
| D | Movie application LEDinspect Inspection Lights Trailer |

Legal advice

Application advice:

For more detailed application information and graphics please see product datasheet and user instruction.*for precise conditions please refer to:

www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.
