Product family datasheet

LEDriving SL W5W RED

Ideal replacement for any vehicle



Suitable for various vehicle exterior applications Available in Red



Easy upgrade to LED technology with plug & play solutions

Replaces conventional W5W lamps



OSRAM

Reliable OSRAM quality stands for less lamp replacements 4-year OSRAM guarantee (refer to www.osram.com/am-guarantee for precise conditions)



Suitable LED replacement for W5W

LEDriving SL W5W replacement lamps offer a modern and intense light. These replacement lamps are suitable for all conventional W5W lamp bases. In comparison to standard lamps, these LED retrofit lamps use up to 80% less energy. OSRAM offers a 4 year guarantee for these LEDriving SL lamps. These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

Product family datasheet

Technical data

LEDriving SL \doteq W5W

| | Electrical Data | | | | | Photom etric Data | | |
|---------------------------|-----------------|----------------------------------|----------|--|---------------------------------|-------------------------|------------------------------|--|
| Product description | Power input | Nominal vo | ltage | Nominal wattage | Power input toleranc e | Test voltage | Nominal luminou s flux | |
| LEDriving SL \doteq W5W | 0.8 W | 12 V | | 1 W | ±10 % | 13.5 V | 15 lm | |
| | Physical A | Physical Attributes & Dimensions | | | | | | |
| Product description | Lamp base | e | Length | Diameter | | Diameter | | |
| LEDriving SL \doteq W5W | W2.1x9.5c | ł | 26.8 mm | 10.0 mm | | 10.0 mm | | |
| | Lifetime D | Data | | Environmental & Regul Information according / Regulation (EC) 1907/2 | | | | |
| Product description | Lifespan B | 33 | Lifespan | Primary article | Candidate | list | | |

4062172425575 **Product description** CAS No. of substance Safe use instruction Declaration no. in SCIP database 1 LEDriving SL \doteq W5W 7439-92-1 The identification of 1c4e9be1-c3b2-4d06-8a9bthe Candidate List substance is ac63609c2e8a | d820726e-410f-45f9sufficient to allow safe use of the 9fb7-5f106598c292

article.

Τс

4000 hr

1500 hr

identifier

4062172150316 |

4062172401692 |

substance 1

Lead

Product family datasheet

Download Data

| File |
|---|
| User instruction GPRS_Safety symbols instructions |
| Brochures LEDriving Retrofits - Exchange overview (EN) |

Safety advice

Canbus compatibleColoured lamps for usage behind coloured glass

Legal advice

These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.