

TEC FLEX Shortpitch IP00

Moduli LED per applicazioni semi-professionali



Caratteristiche prodotto

- Striscia LED flessibile e tagliabile
- Available with color temperature: 2,700K, 3,000 K, 4,000 K
- Up to 50,000 hrs lifetime @ tc max
- Color consistency in 3 SDCM

Vantaggi prodotto

- Facile installazione su molte superfici lisce grazie al nastro autoadesivo sul lato posteriore



Scheda della famiglia di prodotto

Dati tecnici

Dati elettrici

Descrizione del prodotto	Tensione nominale	Tipo di corrente	Potenza di costruzione	Gamma di tensione	Accidental reverse input voltage protection up to
TF600S-G1 -927-05	24,0 V	DC	29,50 W	23...25 V	25 V
TF600S-G1 -827-05	24,0 V	DC	27,50 W	23...25 V	25 V
TF600S-G1 -930-05	24,0 V	DC	29,50 W	23...25 V	25 V
TF600S-G1 -935-05	24,0 V	DC	29,50 W	23...25 V	25 V
TF600S-G1 -940-05	24,0 V	DC	29,50 W	23...25 V	25 V
TF600S-G1 -830-05	24,0 V	DC	27,50 W	23...25 V	25 V
TF600S-G1 -840-05	24,0 V	DC	27,50 W	23...25 V	25 V
TF600S-G1 -865-05	24,0 V	DC	27,50 W	23...25 V	25 V
TF600S-G1 -850-05	24,0 V	DC	27,50 W	23...25 V	25 V
TF1000S-G1 -927-05	24,0 V	DC	49,50 W	23...25 V	25 V
TF1000S-G1 -827-05	24,0 V	DC	45,00 W	23...25 V	25 V
TF1000S-G1 -930-05	24,0 V	DC	49,50 W	23...25 V	25 V
TF1000S-G1 -935-05	24,0 V	DC	49,50 W	23...25 V	25 V
TF1000S-G1 -940-05	24,0 V	DC	49,50 W	23...25 V	25 V
TF1000S-G1 -830-05	24,0 V	DC	45,00 W	23...25 V	25 V
TF1000S-G1 -840-05	24,0 V	DC	45,00 W	23...25 V	25 V
TF1000S-G1 -865-05	24,0 V	DC	45,00 W	23...25 V	25 V
TF1000S-G1 -850-05	24,0 V	DC	45,00 W	23...25 V	25 V
TF1500S-G1 -927-05	24,0 V	DC	72,00 W	23...25 V	25 V
TF1500S-G1 -827-05	24,0 V	DC	66,00 W	23...25 V	25 V
TF1500S-G1 -930-05	24,0 V	DC	72,00 W	23...25 V	25 V
TF1500S-G1 -935-05	24,0 V	DC	72,00 W	23...25 V	25 V
TF1500S-G1 -940-05	24,0 V	DC	72,00 W	23...25 V	25 V
TF1500S-G1 -830-05	24,0 V	DC	66,00 W	23...25 V	25 V
TF1500S-G1 -840-05	24,0 V	DC	66,00 W	23...25 V	25 V
TF1500S-G1 -865-05	24,0 V	DC	66,00 W	23...25 V	25 V
TF1500S-G1 -850-05	24,0 V	DC	66,00 W	23...25 V	25 V
TF2000S-G1 -827-05	24,0 V	DC	77,50 W	23...25 V	25 V
TF2000S-G1 -927-04	24,0 V	DC	69,20 W	23...25 V	25 V
TF2000S-G1 -930-04	24,0 V	DC	69,20 W	23...25 V	25 V
TF2000S-G1 -935-04	24,0 V	DC	69,20 W	23...25 V	25 V
TF2000S-G1 -940-04	24,0 V	DC	69,20 W	23...25 V	25 V
TF2000S-G1 -830-05	24,0 V	DC	77,50 W	23...25 V	25 V
TF2000S-G1 -840-05	24,0 V	DC	77,50 W	23...25 V	25 V
TF2000S-G1 -865-05	24,0 V	DC	77,50 W	23...25 V	25 V
TF2000S-G1 -850-05	24,0 V	DC	77,50 W	23...25 V	25 V

Dati fotometrici

Scheda della famiglia di prodotto

Descrizione del prodotto	Tonalità di luce del LED	Indice di resa cromatica Ra	Efficienza luminosa	Colore della luce (descrizione)
TF600S-G1 -927-05	bianco	90	98,3 lm/W	2700 K
TF600S-G1 -827-05	bianco	80	112,7 lm/W	Bianco
TF600S-G1 -930-05	bianco	90	105,1 lm/W	3000 K
TF600S-G1 -935-05	bianco	90	105,1 lm/W	3500 K
TF600S-G1 -940-05	bianco	90	105,9 lm/W	4000 K
TF600S-G1 -830-05	bianco	80	120 lm/W	Bianco
TF600S-G1 -840-05	bianco	80	121,8 lm/W	Bianco
TF600S-G1 -865-05	bianco	80	123,6 lm/W	Bianco
TF600S-G1 -850-05	bianco	80	125,5 lm/W	Bianco
TF1000S-G1 -927-05	bianco	90	102,5 lm/W	2700 K
TF1000S-G1 -827-05	bianco	80	118,9 lm/W	Bianco
TF1000S-G1 -930-05	bianco	90	109,6 lm/W	3000 K
TF1000S-G1 -935-05	bianco	90	110,1 lm/W	3500 K
TF1000S-G1 -940-05	bianco	90	110,6 lm/W	4000 K
TF1000S-G1 -830-05	bianco	80	125,6 lm/W	Bianco
TF1000S-G1 -840-05	bianco	80	126,7 lm/W	Bianco
TF1000S-G1 -865-05	bianco	80	127,8 lm/W	Bianco
TF1000S-G1 -850-05	bianco	80	130 lm/W	Bianco
TF1500S-G1 -927-05	bianco	90	101,4 lm/W	2700 K
TF1500S-G1 -827-05	bianco	80	118,2 lm/W	Bianco
TF1500S-G1 -930-05	bianco	90	109 lm/W	3000 K
TF1500S-G1 -935-05	bianco	90	110,4 lm/W	3500 K
TF1500S-G1 -940-05	bianco	90	111,1 lm/W	4000 K
TF1500S-G1 -830-05	bianco	80	125,8 lm/W	Bianco
TF1500S-G1 -840-05	bianco	80	126,5 lm/W	Bianco
TF1500S-G1 -865-05	bianco	80	128,8 lm/W	Bianco
TF1500S-G1 -850-05	bianco	80	131,1 lm/W	Bianco
TF2000S-G1 -827-05	bianco	80	117,4 lm/W	Bianco
TF2000S-G1 -927-04	bianco	90	106,4 lm/W	2700 K
TF2000S-G1 -930-04	bianco	90	108,4 lm/W	3000 K
TF2000S-G1 -935-04	bianco	90	109 lm/W	3500 K
TF2000S-G1 -940-04	bianco	90	109,8 lm/W	4000 K
TF2000S-G1 -830-05	bianco	80	125,2 lm/W	Bianco
TF2000S-G1 -840-05	bianco	80	125,8 lm/W	Bianco
TF2000S-G1 -865-05	bianco	80	129 lm/W	Bianco
TF2000S-G1 -850-05	bianco	80	129,7 lm/W	Bianco

Dimensioni e peso



Descrizione del prodotto	Lunghezza	Peso prodotto
TF600S-G1 -927-05	5000,0 mm	69,00 g
TF600S-G1 -827-05	5000,0 mm	69,00 g
TF600S-G1 -930-05	5000,0 mm	69,00 g

Scheda della famiglia di prodotto

Descrizione del prodotto	Lunghezza	Peso prodotto
TF600S-G1 -935-05	5000,0 mm	69,00 g
TF600S-G1 -940-05	5000,0 mm	69,00 g
TF600S-G1 -830-05	5000,0 mm	69,00 g
TF600S-G1 -840-05	5000,0 mm	69,00 g
TF600S-G1 -865-05	5000,0 mm	69,00 g
TF600S-G1 -850-05	5000,0 mm	69,00 g
TF1000S-G1 -927-05	5000,0 mm	69,00 g
TF1000S-G1 -827-05	5000,0 mm	69,00 g
TF1000S-G1 -930-05	5000,0 mm	69,00 g
TF1000S-G1 -935-05	5000,0 mm	69,00 g
TF1000S-G1 -940-05	5000,0 mm	69,00 g
TF1000S-G1 -830-05	5000,0 mm	69,00 g
TF1000S-G1 -840-05	5000,0 mm	69,00 g
TF1000S-G1 -865-05	5000,0 mm	69,00 g
TF1000S-G1 -850-05	5000,0 mm	69,00 g
TF1500S-G1 -927-05	5000,0 mm	69,00 g
TF1500S-G1 -827-05	5000,0 mm	69,00 g
TF1500S-G1 -930-05	5000,0 mm	69,00 g
TF1500S-G1 -935-05	5000,0 mm	69,00 g
TF1500S-G1 -940-05	5000,0 mm	69,00 g
TF1500S-G1 -830-05	5000,0 mm	69,00 g
TF1500S-G1 -840-05	5000,0 mm	69,00 g
TF1500S-G1 -865-05	5000,0 mm	69,00 g
TF1500S-G1 -850-05	5000,0 mm	69,00 g
TF2000S-G1 -827-05	5000,0 mm	69,00 g
TF2000S-G1 -927-04	4000,0 mm	57,00 g
TF2000S-G1 -930-04	4000,0 mm	57,00 g
TF2000S-G1 -935-04	4000,0 mm	57,00 g
TF2000S-G1 -940-04	4000,0 mm	57,00 g
TF2000S-G1 -830-05	5000,0 mm	69,00 g
TF2000S-G1 -840-05	5000,0 mm	69,00 g
TF2000S-G1 -865-05	5000,0 mm	69,00 g
TF2000S-G1 -850-05	5000,0 mm	69,00 g

Scheda della famiglia di prodotto

Disegno con quote



TF600S-G1 -827-05, TF600S-G1 -830-05, TF600S-G1 -840-05, TF600S-G1 -865-05, TF600S-G1 -850-05, TF1000S-G1 -827-05, TF1000S-G1 -830-05, TF1000S-G1 -840-05, TF1000S-G1 -865-05, TF1000S-G1 -850-05, TF1500S-G1 -827-05, TF1500S-G1 -830-05, TF1500S-G1 -840-05, TF1500S-G1 -865-05, TF1500S-G1 -850-05, TF2000S-G1 -827-05, TF2000S-G1 -830-05, TF2000S-G1 -840-05, TF2000S-G1 -865-05, TF2000S-G1 -850-05

TF2000S-G1 -927-04, TF2000S-G1 -930-04, TF2000S-G1 -935-04, TF2000S-G1 -940-04

Temperature e condizioni di utilizzo

Descrizione del prodotto	Temperatura di funzionamento	Temperatura di stoccaggio
TF600S-G1 -927-05	-25...80 °C	-30...85 °C
TF600S-G1 -827-05	-25...80 °C	-30...85 °C
TF600S-G1 -930-05	-25...80 °C	-30...85 °C
TF600S-G1 -935-05	-25...80 °C	-30...85 °C
TF600S-G1 -940-05	-25...80 °C	-30...85 °C
TF600S-G1 -830-05	-25...80 °C	-30...85 °C
TF600S-G1 -840-05	-25...80 °C	-30...85 °C
TF600S-G1 -865-05	-25...80 °C	-30...85 °C
TF600S-G1 -850-05	-25...80 °C	-30...85 °C
TF1000S-G1 -927-05	-25...80 °C	-30...85 °C
TF1000S-G1 -827-05	-25...80 °C	-30...85 °C

Scheda della famiglia di prodotto

Descrizione del prodotto	Temperatura di funzionamento	Temperatura di stoccaggio
TF1000S-G1 -930-05	-25...80 °C	-30...85 °C
TF1000S-G1 -935-05	-25...80 °C	-30...85 °C
TF1000S-G1 -940-05	-25...80 °C	-30...85 °C
TF1000S-G1 -830-05	-25...80 °C	-30...85 °C
TF1000S-G1 -840-05	-25...80 °C	-30...85 °C
TF1000S-G1 -865-05	-25...80 °C	-30...85 °C
TF1000S-G1 -850-05	-25...80 °C	-30...85 °C
TF1500S-G1 -927-05	-25...80 °C	-30...85 °C
TF1500S-G1 -827-05	-25...80 °C	-30...85 °C
TF1500S-G1 -930-05	-25...80 °C	-30...85 °C
TF1500S-G1 -935-05	-25...80 °C	-30...85 °C
TF1500S-G1 -940-05	-25...80 °C	-30...85 °C
TF1500S-G1 -830-05	-25...80 °C	-30...85 °C
TF1500S-G1 -840-05	-25...80 °C	-30...85 °C
TF1500S-G1 -865-05	-25...80 °C	-30...85 °C
TF1500S-G1 -850-05	-25...80 °C	-30...85 °C
TF2000S-G1 -827-05	-25...80 °C	-30...85 °C
TF2000S-G1 -927-04	-25...80 °C	-30...85 °C
TF2000S-G1 -930-04	-25...80 °C	-30...85 °C
TF2000S-G1 -935-04	-25...80 °C	-30...85 °C
TF2000S-G1 -940-04	-25...80 °C	-30...85 °C
TF2000S-G1 -830-05	-25...80 °C	-30...85 °C
TF2000S-G1 -840-05	-25...80 °C	-30...85 °C
TF2000S-G1 -865-05	-25...80 °C	-30...85 °C
TF2000S-G1 -850-05	-25...80 °C	-30...85 °C

Dati di prodotto aggiuntivi

Descrizione del prodotto	ID of contained light source [AGGR]	EAN sostitutivo
TF600S-G1 -927-05	LS_SHZ_601053	
TF600S-G1 -827-05	LS_SHZ_600330	4062172090964
TF600S-G1 -930-05	LS_SHZ_601054	
TF600S-G1 -935-05	LS_SHZ_601055	
TF600S-G1 -940-05	LS_SHZ_601056	
TF600S-G1 -830-05	LS_SHZ_600331	4062172091022
TF600S-G1 -840-05	LS_SHZ_600332	4062172091206
TF600S-G1 -865-05	LS_SHZ_600334	4062172091268
TF600S-G1 -850-05	LS_SHZ_600333	4062172091244
TF1000S-G1 -927-05	LS_SHZ_601057	
TF1000S-G1 -827-05	LS_SHZ_600335	4062172091282
TF1000S-G1 -930-05	LS_SHZ_601058	
TF1000S-G1 -935-05	LS_SHZ_601059	
TF1000S-G1 -940-05	LS_SHZ_601060	

Scheda della famiglia di prodotto

Descrizione del prodotto	ID of contained light source [AGGR]	EAN sostitutivo
TF1000S-G1 -830-05	LS_SHZ_600336	4062172091305
TF1000S-G1 -840-05	LS_SHZ_600337	4062172091329
TF1000S-G1 -865-05	LS_SHZ_600339	4062172091503
TF1000S-G1 -850-05	LS_SHZ_600338	4062172091442
TF1500S-G1 -927-05	LS_SHZ_601061	
TF1500S-G1 -827-05	LS_SHZ_600340	4062172091541
TF1500S-G1 -930-05	LS_SHZ_601062	
TF1500S-G1 -935-05	LS_SHZ_601063	
TF1500S-G1 -940-05	LS_SHZ_601064	
TF1500S-G1 -830-05	LS_SHZ_600341	4062172091565
TF1500S-G1 -840-05	LS_SHZ_600342	4062172091589
TF1500S-G1 -865-05	LS_SHZ_600344	4062172091626
TF1500S-G1 -850-05	LS_SHZ_600343	4062172091602
TF2000S-G1 -827-05	LS_SHZ_600299	4062172091640
TF2000S-G1 -927-04	LS_SHZ_601065	
TF2000S-G1 -930-04	LS_SHZ_601066	
TF2000S-G1 -935-04	LS_SHZ_601067	
TF2000S-G1 -940-04	LS_SHZ_601068	
TF2000S-G1 -830-05	LS_SHZ_600345	4062172091664
TF2000S-G1 -840-05	LS_SHZ_600346	4062172091688
TF2000S-G1 -865-05	LS_SHZ_600348	4062172091725
TF2000S-G1 -850-05	LS_SHZ_600347	4062172091701

Certificati, Norme, Direttive

Descrizione del prodotto	Norme	Energy efficiency class of the contained light source
TF600S-G1 -927-05	CE/ENEC/EAC/SASO 2927:2019	F
TF600S-G1 -827-05	CE/ENEC/EAC	F
TF600S-G1 -930-05	CE/ENEC/EAC/SASO 2927:2019	F
TF600S-G1 -935-05	CE/ENEC/EAC/SASO 2927:2019	F
TF600S-G1 -940-05	CE/ENEC/EAC/SASO 2927:2019	F
TF600S-G1 -830-05	CE/ENEC/EAC	F
TF600S-G1 -840-05	CE/ENEC/EAC	E
TF600S-G1 -865-05	CE/ENEC/EAC	E
TF600S-G1 -850-05	CE/ENEC/EAC	E
TF1000S-G1 -927-05	CE/ENEC/EAC/SASO 2927:2019	F
TF1000S-G1 -827-05	CE/ENEC/EAC	E
TF1000S-G1 -930-05	CE/ENEC/EAC/SASO 2927:2019	F
TF1000S-G1 -935-05	CE/ENEC/EAC/SASO 2927:2019	F

Scheda della famiglia di prodotto

Descrizione del prodotto	Norme	Energy efficiency class of the contained light source
TF1000S-G1 -940-05	CE/ENEC/EAC/SASO 2927:2019	F
TF1000S-G1 -830-05	CE/ENEC/EAC	E
TF1000S-G1 -840-05	CE/ENEC/EAC	E
TF1000S-G1 -865-05	CE/ENEC/EAC	E
TF1000S-G1 -850-05	CE/ENEC/EAC	E
TF1500S-G1 -927-05	CE/ENEC/EAC/SASO 2927:2019	F
TF1500S-G1 -827-05	CE/ENEC/EAC	F
TF1500S-G1 -930-05	CE/ENEC/EAC/SASO 2927:2019	F
TF1500S-G1 -935-05	CE/ENEC/EAC/SASO 2927:2019	F
TF1500S-G1 -940-05	CE/ENEC/EAC/SASO 2927:2019	F
TF1500S-G1 -830-05	CE/ENEC/EAC	E
TF1500S-G1 -840-05	CE/ENEC/EAC	E
TF1500S-G1 -865-05	CE/ENEC/EAC	E
TF1500S-G1 -850-05	CE/ENEC/EAC	E
TF2000S-G1 -827-05	CE/ENEC/EAC	F
TF2000S-G1 -927-04	CE/ENEC/EAC/SASO 2927:2019	F
TF2000S-G1 -930-04	CE/ENEC/EAC/SASO 2927:2019	F
TF2000S-G1 -935-04	CE/ENEC/EAC/SASO 2927:2019	F
TF2000S-G1 -940-04	CE/ENEC/EAC/SASO 2927:2019	F
TF2000S-G1 -830-05	CE/ENEC/EAC	E
TF2000S-G1 -840-05	CE/ENEC/EAC	E
TF2000S-G1 -865-05	CE/ENEC/EAC	E
TF2000S-G1 -850-05	CE/ENEC/EAC	E

Dati logistici

Descrizione del prodotto	Codice prodotto di base
TF600S-G1 -927-05	853951000000
TF600S-G1 -827-05	853951000000
TF600S-G1 -930-05	853951000000
TF600S-G1 -935-05	853951000000
TF600S-G1 -940-05	853951000000
TF600S-G1 -830-05	853951000000
TF600S-G1 -840-05	853951000000
TF600S-G1 -865-05	853951000000
TF600S-G1 -850-05	853951000000
TF1000S-G1 -927-05	853951000000

Scheda della famiglia di prodotto

Descrizione del prodotto	Codice prodotto di base
TF1000S-G1 -827-05	853951000000
TF1000S-G1 -930-05	853951000000
TF1000S-G1 -935-05	853951000000
TF1000S-G1 -940-05	853951000000
TF1000S-G1 -830-05	853951000000
TF1000S-G1 -840-05	853951000000
TF1000S-G1 -865-05	853951000000
TF1000S-G1 -850-05	853951000000
TF1500S-G1 -927-05	853951000000
TF1500S-G1 -827-05	853951000000
TF1500S-G1 -930-05	853951000000
TF1500S-G1 -935-05	853951000000
TF1500S-G1 -940-05	853951000000
TF1500S-G1 -830-05	853951000000
TF1500S-G1 -840-05	853951000000
TF1500S-G1 -865-05	853951000000
TF1500S-G1 -850-05	853951000000
TF2000S-G1 -827-05	853951000000
TF2000S-G1 -927-04	853951000000
TF2000S-G1 -930-04	853951000000
TF2000S-G1 -935-04	853951000000
TF2000S-G1 -940-04	853951000000
TF2000S-G1 -830-05	853951000000
TF2000S-G1 -840-05	853951000000
TF2000S-G1 -865-05	853951000000
TF2000S-G1 -850-05	853951000000

Environmental information

Descrizione del prodotto	Date of Declaration	Primary Article Identifier	Candidate List Substance 1
TF600S-G1 -927-05	16-01-2023	4062172250306	No declarable substances contained
TF600S-G1 -827-05	17-02-2023	4062172133821	Lead
TF600S-G1 -930-05	08-03-2023	4062172250320	No declarable substances contained
TF600S-G1 -935-05	08-03-2023	4062172250344	No declarable substances contained
TF600S-G1 -940-05	16-01-2023	4062172250368	No declarable substances contained
TF600S-G1 -830-05	20-01-2023	4062172133883	No declarable substances contained
TF600S-G1 -840-05	17-02-2023	4062172133906	Lead
TF600S-G1 -865-05	17-02-2023	4062172133944	Lead
TF600S-G1 -850-05	17-02-2023	4062172133920	Lead
TF1000S-G1 -927-05	17-02-2023	4062172250382	Lead
TF1000S-G1 -827-05	17-02-2023	4062172133968	Lead

Scheda della famiglia di prodotto

Descrizione del prodotto	Date of Declaration	Primary Article Identifier	Candidate List Substance 1
TF1000S-G1 -930-05	17-02-2023	4062172250405	Lead
TF1000S-G1 -935-05	16-01-2023	4062172250429	No declarable substances contained
TF1000S-G1 -940-05	16-01-2023	4062172250443	No declarable substances contained
TF1000S-G1 -830-05	17-02-2023	4062172133982	Lead
TF1000S-G1 -840-05	17-02-2023	4062172134002	Lead
TF1000S-G1 -865-05	17-02-2023	4062172134040	Lead
TF1000S-G1 -850-05	17-02-2023	4062172134026	Lead
TF1500S-G1 -927-05	17-02-2023	4062172250504	Lead
TF1500S-G1 -827-05	17-02-2023	4062172134064	Lead
TF1500S-G1 -930-05	17-02-2023	4062172250528	Lead
TF1500S-G1 -935-05	16-01-2023	4062172250542	No declarable substances contained
TF1500S-G1 -940-05	17-02-2023	4062172250566	Lead
TF1500S-G1 -830-05	17-02-2023	4062172134088	Lead
TF1500S-G1 -840-05	17-02-2023	4062172134101	Lead
TF1500S-G1 -865-05	16-01-2023	4062172134149	No declarable substances contained
TF1500S-G1 -850-05	17-02-2023	4062172134125	Lead
TF2000S-G1 -827-05	17-02-2023	4062172134163	Lead
TF2000S-G1 -927-04	17-02-2023	4062172268608	Lead
TF2000S-G1 -930-04	16-01-2023	4062172268622	No declarable substances contained
TF2000S-G1 -935-04	16-01-2023	4062172268646	No declarable substances contained
TF2000S-G1 -940-04	17-02-2023	4062172268660	Lead
TF2000S-G1 -830-05	16-01-2023	4062172134187	No declarable substances contained
TF2000S-G1 -840-05	05-05-2023	4062172134200	Lead
TF2000S-G1 -865-05	17-02-2023	4062172134248	Lead
TF2000S-G1 -850-05	17-02-2023	4062172134224	Lead

Descrizione del prodotto	Declaration No. in SCIP database	CAS No. of substance 1	Safe Use Instruction
TF600S-G1 -927-05	No declarable substances contained		
TF600S-G1 -827-05	b71d0c5c-088d-4489-b747-0bdfe3c9e42e	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
TF600S-G1 -930-05	No declarable substances contained		
TF600S-G1 -935-05	No declarable substances contained		
TF600S-G1 -940-05	No declarable substances contained		
TF600S-G1 -830-05	No declarable substances contained		

Scheda della famiglia di prodotto

Descrizione del prodotto	Declaration No. in SCIP database	CAS No. of substance 1	Safe Use Instruction
TF600S-G1 -840-05	fdcd9ad7-b81b-4bbb-aa9d-77a03010723b	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
TF600S-G1 -865-05	919f3108-2f0a-4b75-a2b5-a1d168199208	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
TF600S-G1 -850-05	ea65ad4a-10d4-43c3-9816-dbb8ca495493	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
TF1000S-G1 -927-05	a344fdca-e3e3-470f-adb6-7315374b6aab	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
TF1000S-G1 -827-05	148300a3-0ba0-4786-a666-1a24ba3c99b6	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
TF1000S-G1 -930-05	5c74a887-cce3-4197-b5ae-0ee9d2359f0c	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
TF1000S-G1 -935-05	No declarable substances contained		
TF1000S-G1 -940-05	No declarable substances contained		
TF1000S-G1 -830-05	f43ec318-2d98-480b-b25f-c193c905d3e6	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
TF1000S-G1 -840-05	756b7a9b-f0bf-485f-a016-788aa7f73cbf	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
TF1000S-G1 -865-05	651a30f5-051e-40e9-aca7-039229e54d53	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
TF1000S-G1 -850-05	eacd20fe-0f38-40f8-a2d6-0c0c040c2950	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
TF1500S-G1 -927-05	7719879b-e9c3-433c-8383-5df021548db4	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
TF1500S-G1 -827-05	7289bdee-b630-44c3-85b2-7980dba110d9	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.

Scheda della famiglia di prodotto

Descrizione del prodotto	Declaration No. in SCIP database	CAS No. of substance 1	Safe Use Instruction
TF1500S-G1 -930-05	ae3268ec-fac8-4a74-9934-975af0b169de	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
TF1500S-G1 -935-05	No declarable substances contained		
TF1500S-G1 -940-05	cbba48cc-2e84-4a6b-84aa-d14f14c26ad9	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
TF1500S-G1 -830-05	7e6772cf-754c-4500-8762-2d636f5afc25	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
TF1500S-G1 -840-05	bc112b04-66be-4d42-8e02-7b7f3bc61335	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
TF1500S-G1 -865-05	No declarable substances contained		
TF1500S-G1 -850-05	5e6e984f-3852-44b3-b2d4-1b0f5ce29e2a	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
TF2000S-G1 -827-05	c7b1205b-2ffb-4f60-bae9-b15d87d9f3d4	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
TF2000S-G1 -927-04	acdc3b0-7a1d-4c2c-87f9-2abf97e0f3e4	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
TF2000S-G1 -930-04	No declarable substances contained		
TF2000S-G1 -935-04	No declarable substances contained		
TF2000S-G1 -940-04	dc30414-3b7d-4fd5-bdc1-12df5939646b	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
TF2000S-G1 -830-05	No declarable substances contained		
TF2000S-G1 -840-05	19c32125-1445-429e-97bd-47a3a0e2773d	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
TF2000S-G1 -865-05	268dd190-eac1-4e25-a193-41effcb23eee	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.

Scheda della famiglia di prodotto

Descrizione del prodotto	Declaration No. in SCIP database	CAS No. of substance 1	Safe Use Instruction
TF2000S-G1 -850-05	d61c476e-9a73-4cc8-895d-14997e86a36d	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.

Apparecchiatura / Accessori

– Connessione più semplice con il sistema opzionale CONNECTsystem












Consigli di applicazione

Per informazioni più dettagliate e grafici consultare la scheda tecnica
























Supporto tecnico e di vendita

Supporto tecnico e di vendita www.osram.it









Download dati

File
 User instruction TEC Flex IP00
 Product Datasheet TEC Flex Shortpitch IP00 Product Datasheet (EN)
 Brochure Light is strong - Discover the versatile and flexible lighting system OSRAM 24V TEC Flex (EN)
 Certificati TFX ENEC 130520
 Dichiarazioni di conformità TECFlex CE 4210017 300420
 Eulumdat TF600S-G1-927 LTD 130122
 IES data TF600S-G1-927 IES 130122
 Dati CAD DWG TEC Flex and TEC Flex Shortpitch
 Eulumdat TF600S G1 827 LDT 291121
 Eulumdat TF600S-G1-827 LTD 130122
 IES data TF600S G1 827 IES 291121




















Scheda della famiglia di prodotto

	IES data TF600S-G1-827 IES 130122
	Eulumdat TF600S-G1-930 LTD 130122
	IES data TF600S-G1-930 IES 130122
	Eulumdat TF600S-G1-935 LTD 130122
	IES data TF600S-G1-935 IES 130122
	Eulumdat TF600S-G1-940 LTD 130122
	IES data TF600S-G1-940 IES 130122
	Eulumdat TF600S G1 830 LDT 291121
	Eulumdat TF600S-G1-830 LTD 130122
	IES data TF600S G1 830 IES 291121
	IES data TF600S-G1-830 IES 130122
	Eulumdat TF600S G1 840 LDT 291121
	Eulumdat TF600S-G1-840 LTD 130122
	IES data TF600S G1 840 IES 291121
	IES data TF600S-G1-840 IES 130122
	Eulumdat TF600S G1 865 LDT 291121
	Eulumdat TF600S-G1-865 LTD 130122
	IES data TF600S G1 865 IES 291121
	IES data TF600S-G1-865 IES 130122
	Eulumdat TF600S G1 850 LDT 291121
	Eulumdat TF600S-G1-850 LTD 130122
	IES data TF600S G1 850 IES 291121
	IES data TF600S-G1-850 IES 130122



Scheda della famiglia di prodotto

	Eulumdat TF1000S-G1-927 LTD 130122
	IES data TF1000S-G1-927 IES 130122
	Eulumdat TF1000S G1 827 LDT 291121
	Eulumdat TF1000S-G1-827 LTD 130122
	IES data TF1000S G1 827 IES 291121
	IES data TF1000S-G1-827 IES 130122
	Eulumdat TF1000S-G1-930 LTD 130122
	IES data TF1000S-G1-930 IES 130122
	Eulumdat TF1000S-G1-935 LTD 130122
	IES data TF1000S-G1-935 IES 130122
	Eulumdat TF1000S-G1-940 LTD 130122
	IES data TF1000S-G1-940 IES 130122
	Eulumdat TF1000S G1 830 LDT 291121
	Eulumdat TF1000S-G1-830 LTD 130122
	IES data TF1000S G1 830 IES 291121
	IES data TF1000S-G1-830 IES 130122
	Eulumdat TF1000S G1 840 LDT 291121
	Eulumdat TF1000S-G1-840 LTD 130122
	IES data TF1000S G1 840 IES 291121
	IES data TF1000S-G1-840 IES 130122
	Eulumdat TF1000S G1 865 LDT 291121
	Eulumdat TF1000S-G1-865 LTD 130122
	IES data TF1000S G1 865 IES 291121








Scheda della famiglia di prodotto

	IES data TF1000S-G1-865 IES 130122
	Eulumdat TF1000S G1 850 LDT 291121
	Eulumdat TF1000S-G1-850 LTD 130122
	IES data TF1000S G1 850 IES 291121
	IES data TF1000S-G1-850 IES 130122
	Eulumdat TF1500S-G1-927 LTD 130122
	IES data TF1500S-G1-927 IES 130122
	Eulumdat TF1500S G1 827 LDT 291121
	Eulumdat TF1500S-G1-827 LTD 130122
	IES data TF1500S G1 827 IES 291121
	IES data TF1500S-G1-827 IES 130122
	Eulumdat TF1500S-G1-930 LTD 130122
	IES data TF1500S-G1-930 IES 130122
	Eulumdat TF1500S-G1-935 LTD 130122
	IES data TF1500S-G1-935 IES 130122
	Eulumdat TF1500S-G1-940 LTD 130122
	IES data TF1500S-G1-940 IES 130122
	Eulumdat TF1500S G1 830 LDT 291121
	Eulumdat TF1500S-G1-830 LTD 130122
	IES data TF1500S G1 830 IES 291121
	IES data TF1500S-G1-830 IES 130122
	Eulumdat TF1500S G1 840 LDT 291121
	Eulumdat TF1500S-G1-840 LTD 130122

Scheda della famiglia di prodotto

	IES data TF1500S G1 840 IES 291121
	IES data TF1500S-G1-840 IES 130122
	Eulumdat TF1500S G1 865 LDT 291121
	Eulumdat TF1500S-G1-865 LTD 130122
	IES data TF1500S G1 865 IES 291121
	IES data TF1500S-G1-865 IES 130122
	Eulumdat TF1500S G1 850 LDT 291121
	Eulumdat TF1500S-G1-850 LTD 130122
	IES data TF1500S G1 850 IES 291121
	IES data TF1500S-G1-850 IES 130122
	Eulumdat TF2000S G1 827 LDT 291121
	Eulumdat TF2000S-G1-827 LTD 130122
	IES data TF2000S G1 827 IES 291121
	IES data TF2000S-G1-827 IES 130122
	Eulumdat TF2000S-G1-927 LTD 130122
	IES data TF2000S-G1-927 IES 130122
	Eulumdat TF2000S-G1-930 LTD 130122
	IES data TF2000S-G1-930 IES 130122
	Eulumdat TF2000S-G1-935 LTD 130122
	IES data TF2000S-G1-935 IES 130122
	Eulumdat TF2000S-G1-940 LTD 130122
	IES data TF2000S-G1-940 IES 130122
	Eulumdat TF2000S G1 830 LDT 291121

Scheda della famiglia di prodotto

	Eulumdat TF2000S-G1-830 LTD 130122
	IES data TF2000S G1 830 IES 291121
	IES data TF2000S-G1-830 IES 130122
	Eulumdat TF2000S G1 840 LDT 291121
	Eulumdat TF2000S-G1-840 LTD 130122
	IES data TF2000S G1 840 IES 291121
	IES data TF2000S-G1-840 IES 130122
	Eulumdat TF2000S G1 865 LDT 291121
	Eulumdat TF2000S-G1-865 LTD 130122
	IES data TF2000S G1 865 IES 291121
	IES data TF2000S-G1-865 IES 130122
	Eulumdat TF2000S G1 850 LDT 291121
	Eulumdat TF2000S-G1-850 LTD 130122
	IES data TF2000S G1 850 IES 291121
	IES data TF2000S-G1-850 IES 130122

Dati logistici

Codice prodotto	Descrizione del prodotto	Unità di imballo (Pezzi/unità)	Dimensioni (lunghezza x profondità x altezza)	Volume	Peso lordo
4062172250306	TF600S-G1 -927-05	Cartone di spedizione 10	225 mm x 240 mm x 120 mm	6.48 dm ³	1344.00 g
4062172133821	TF600S-G1 -827-05	Cartone di spedizione 10	225 mm x 240 mm x 120 mm	6.48 dm ³	1344.00 g
4062172250320	TF600S-G1 -930-05	Cartone di spedizione 10	225 mm x 240 mm x 120 mm	6.48 dm ³	1344.00 g
4062172250344	TF600S-G1 -935-05	Cartone di spedizione 10	225 mm x 240 mm x 120 mm	6.48 dm ³	1344.00 g

Scheda della famiglia di prodotto

Dati logistici

4062172250368	TF600S-G1 -940-05	Cartone di spedizione 10	225 mm x 240 mm x 120 mm	6.48 dm ³	1344.00 g
4062172133883	TF600S-G1 -830-05	Cartone di spedizione 10	225 mm x 240 mm x 120 mm	6.48 dm ³	1344.00 g
4062172133906	TF600S-G1 -840-05	Cartone di spedizione 10	225 mm x 240 mm x 120 mm	6.48 dm ³	1344.00 g
4062172133944	TF600S-G1 -865-05	Cartone di spedizione 10	225 mm x 240 mm x 120 mm	6.48 dm ³	1344.00 g
4062172133920	TF600S-G1 -850-05	Cartone di spedizione 10	225 mm x 240 mm x 120 mm	6.48 dm ³	1344.00 g
4062172250382	TF1000S-G1 -927-05	Cartone di spedizione 10	225 mm x 240 mm x 120 mm	6.48 dm ³	1344.00 g
4062172133968	TF1000S-G1 -827-05	Cartone di spedizione 10	225 mm x 240 mm x 120 mm	6.48 dm ³	1344.00 g
4062172250405	TF1000S-G1 -930-05	Cartone di spedizione 10	225 mm x 240 mm x 120 mm	6.48 dm ³	1344.00 g
4062172250429	TF1000S-G1 -935-05	Cartone di spedizione 10	225 mm x 240 mm x 120 mm	6.48 dm ³	1344.00 g
4062172250443	TF1000S-G1 -940-05	Cartone di spedizione 10	225 mm x 240 mm x 120 mm	6.48 dm ³	1344.00 g
4062172133982	TF1000S-G1 -830-05	Cartone di spedizione 10	225 mm x 240 mm x 120 mm	6.48 dm ³	1344.00 g
4062172134002	TF1000S-G1 -840-05	Cartone di spedizione 10	225 mm x 240 mm x 120 mm	6.48 dm ³	1344.00 g
4062172134040	TF1000S-G1 -865-05	Cartone di spedizione 10	225 mm x 240 mm x 120 mm	6.48 dm ³	1344.00 g
4062172134026	TF1000S-G1 -850-05	Cartone di spedizione 10	225 mm x 240 mm x 120 mm	6.48 dm ³	1344.00 g
4062172250504	TF1500S-G1 -927-05	Cartone di spedizione 10	225 mm x 240 mm x 120 mm	6.48 dm ³	1344.00 g
4062172134064	TF1500S-G1 -827-05	Cartone di spedizione 10	225 mm x 240 mm x 120 mm	6.48 dm ³	1344.00 g
4062172250528	TF1500S-G1 -930-05	Cartone di spedizione 10	225 mm x 240 mm x 120 mm	6.48 dm ³	1344.00 g
4062172250542	TF1500S-G1 -935-05	Cartone di spedizione 10	225 mm x 240 mm x 120 mm	6.48 dm ³	1344.00 g
4062172250566	TF1500S-G1 -940-05	Cartone di spedizione 10	225 mm x 240 mm x 120 mm	6.48 dm ³	1344.00 g
4062172134088	TF1500S-G1 -830-05	Cartone di spedizione 10	225 mm x 240 mm x 120 mm	6.48 dm ³	1344.00 g
4062172134101	TF1500S-G1 -840-05	Cartone di spedizione 10	225 mm x 240 mm x 120 mm	6.48 dm ³	1344.00 g

Scheda della famiglia di prodotto

Dati logistici

4062172134149	TF1500S-G1 -865-05	Cartone di spedizione 10	225 mm x 240 mm x 120 mm	6.48 dm ³	1344.00 g
4062172134125	TF1500S-G1 -850-05	Cartone di spedizione 10	225 mm x 240 mm x 120 mm	6.48 dm ³	1344.00 g
4062172134163	TF2000S-G1 -827-05	Cartone di spedizione 10	225 mm x 240 mm x 120 mm	6.48 dm ³	1344.00 g
4062172268608	TF2000S-G1 -927-04	Cartone di spedizione 10	225 mm x 240 mm x 120 mm	6.48 dm ³	1224.00 g
4062172268622	TF2000S-G1 -930-04	Cartone di spedizione 10	225 mm x 240 mm x 120 mm	6.48 dm ³	1224.00 g
4062172268646	TF2000S-G1 -935-04	Cartone di spedizione 10	225 mm x 240 mm x 120 mm	6.48 dm ³	1224.00 g
4062172268660	TF2000S-G1 -940-04	Cartone di spedizione 10	225 mm x 240 mm x 120 mm	6.48 dm ³	1224.00 g
4062172134187	TF2000S-G1 -830-05	Cartone di spedizione 10	225 mm x 240 mm x 120 mm	6.48 dm ³	1344.00 g
4062172134200	TF2000S-G1 -840-05	Cartone di spedizione 10	225 mm x 240 mm x 120 mm	6.48 dm ³	1344.00 g
4062172134248	TF2000S-G1 -865-05	Cartone di spedizione 10	225 mm x 240 mm x 120 mm	6.48 dm ³	1344.00 g
4062172134224	TF2000S-G1 -850-05	Cartone di spedizione 10	225 mm x 240 mm x 120 mm	6.48 dm ³	1344.00 g

1) codice prodotto indicato descrive la minore quantità che può essere ordinata. Una unità di spedizione può contenere uno o più di un singolo prodotto. Quando si inserisce un ordine, per la quantità inserire una o più unità di spedizione.

Accessori opzionali

Descrizione del prodotto	Nome dell'accessorio	Codice dell'accessorio
TF600S-G1 -927-05	CONN-FLEX -2P-050 KIT 10PCS	▶ 4062172179591
TF600S-G1 -927-05	CONN-FLEX -2P-200 KIT 10PCS	▶ 4062172179614
TF600S-G1 -927-05	CORNER-FLEX -4P-003 KIT 10PCS	▶ 4062172179638
TF600S-G1 -927-05	CORNER-FLEX -4P-015 KIT 10PCS	▶ 4062172179676
TF600S-G1 -927-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TF600S-G1 -927-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TF600S-G1 -927-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TF600S-G1 -927-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TF600S-G1 -927-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TF600S-G1 -927-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TF600S-G1 -927-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008

Scheda della famiglia di prodotto

TF600S-G1 -927-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TF600S-G1 -927-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TF600S-G1 -927-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TF600S-G1 -827-05	CONN-FLEX -2P-050 KIT 10PCS	▶ 4062172179591
TF600S-G1 -827-05	CONN-FLEX -2P-200 KIT 10PCS	▶ 4062172179614
TF600S-G1 -827-05	CORNER-FLEX -4P-003 KIT 10PCS	▶ 4062172179638
TF600S-G1 -827-05	CORNER-FLEX -4P-015 KIT 10PCS	▶ 4062172179676
TF600S-G1 -827-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TF600S-G1 -827-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TF600S-G1 -827-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TF600S-G1 -827-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TF600S-G1 -827-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TF600S-G1 -827-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TF600S-G1 -827-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TF600S-G1 -827-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TF600S-G1 -827-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TF600S-G1 -827-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TF600S-G1 -930-05	CONN-FLEX -2P-050 KIT 10PCS	▶ 4062172179591
TF600S-G1 -930-05	CONN-FLEX -2P-200 KIT 10PCS	▶ 4062172179614
TF600S-G1 -930-05	CORNER-FLEX -4P-003 KIT 10PCS	▶ 4062172179638
TF600S-G1 -930-05	CORNER-FLEX -4P-015 KIT 10PCS	▶ 4062172179676
TF600S-G1 -930-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TF600S-G1 -930-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TF600S-G1 -930-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TF600S-G1 -930-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TF600S-G1 -930-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TF600S-G1 -930-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TF600S-G1 -930-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TF600S-G1 -930-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TF600S-G1 -930-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TF600S-G1 -930-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TF600S-G1 -935-05	CONN-FLEX -2P-050 KIT 10PCS	▶ 4062172179591
TF600S-G1 -935-05	CONN-FLEX -2P-200 KIT 10PCS	▶ 4062172179614
TF600S-G1 -935-05	CORNER-FLEX -4P-003 KIT 10PCS	▶ 4062172179638
TF600S-G1 -935-05	CORNER-FLEX -4P-015 KIT 10PCS	▶ 4062172179676
TF600S-G1 -935-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TF600S-G1 -935-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TF600S-G1 -935-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827

Scheda della famiglia di prodotto

TF600S-G1 -935-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TF600S-G1 -935-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TF600S-G1 -935-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TF600S-G1 -935-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TF600S-G1 -935-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TF600S-G1 -935-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TF600S-G1 -935-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TF600S-G1 -940-05	CONN-FLEX -2P-050 KIT 10PCS	▶ 4062172179591
TF600S-G1 -940-05	CONN-FLEX -2P-200 KIT 10PCS	▶ 4062172179614
TF600S-G1 -940-05	CORNER-FLEX -4P-003 KIT 10PCS	▶ 4062172179638
TF600S-G1 -940-05	CORNER-FLEX -4P-015 KIT 10PCS	▶ 4062172179676
TF600S-G1 -940-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TF600S-G1 -940-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TF600S-G1 -940-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TF600S-G1 -940-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TF600S-G1 -940-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TF600S-G1 -940-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TF600S-G1 -940-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TF600S-G1 -940-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TF600S-G1 -940-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TF600S-G1 -940-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TF600S-G1 -830-05	CONN-FLEX -2P-050 KIT 10PCS	▶ 4062172179591
TF600S-G1 -830-05	CONN-FLEX -2P-200 KIT 10PCS	▶ 4062172179614
TF600S-G1 -830-05	CORNER-FLEX -4P-003 KIT 10PCS	▶ 4062172179638
TF600S-G1 -830-05	CORNER-FLEX -4P-015 KIT 10PCS	▶ 4062172179676
TF600S-G1 -830-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TF600S-G1 -830-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TF600S-G1 -830-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TF600S-G1 -830-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TF600S-G1 -830-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TF600S-G1 -830-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TF600S-G1 -830-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TF600S-G1 -830-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TF600S-G1 -830-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TF600S-G1 -830-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TF600S-G1 -840-05	CONN-FLEX -2P-050 KIT 10PCS	▶ 4062172179591
TF600S-G1 -840-05	CONN-FLEX -2P-200 KIT 10PCS	▶ 4062172179614
TF600S-G1 -840-05	CORNER-FLEX -4P-003 KIT 10PCS	▶ 4062172179638

Scheda della famiglia di prodotto

TF600S-G1 -840-05	CORNER-FLEX -4P-015 KIT 10PCS	▶ 4062172179676
TF600S-G1 -840-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TF600S-G1 -840-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TF600S-G1 -840-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TF600S-G1 -840-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TF600S-G1 -840-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TF600S-G1 -840-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TF600S-G1 -840-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TF600S-G1 -840-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TF600S-G1 -840-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TF600S-G1 -840-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TF600S-G1 -865-05	CONN-FLEX -2P-050 KIT 10PCS	▶ 4062172179591
TF600S-G1 -865-05	CONN-FLEX -2P-200 KIT 10PCS	▶ 4062172179614
TF600S-G1 -865-05	CORNER-FLEX -4P-003 KIT 10PCS	▶ 4062172179638
TF600S-G1 -865-05	CORNER-FLEX -4P-015 KIT 10PCS	▶ 4062172179676
TF600S-G1 -865-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TF600S-G1 -865-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TF600S-G1 -865-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TF600S-G1 -865-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TF600S-G1 -865-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TF600S-G1 -865-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TF600S-G1 -865-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TF600S-G1 -865-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TF600S-G1 -865-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TF600S-G1 -865-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TF600S-G1 -850-05	CONN-FLEX -2P-050 KIT 10PCS	▶ 4062172179591
TF600S-G1 -850-05	CONN-FLEX -2P-200 KIT 10PCS	▶ 4062172179614
TF600S-G1 -850-05	CORNER-FLEX -4P-003 KIT 10PCS	▶ 4062172179638
TF600S-G1 -850-05	CORNER-FLEX -4P-015 KIT 10PCS	▶ 4062172179676
TF600S-G1 -850-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TF600S-G1 -850-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TF600S-G1 -850-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TF600S-G1 -850-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TF600S-G1 -850-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TF600S-G1 -850-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TF600S-G1 -850-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TF600S-G1 -850-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TF600S-G1 -850-05	FX -SC08-G2-CT4PJ	▶ 4052899464858

Scheda della famiglia di prodotto

TF600S-G1 -850-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TF1000S-G1 -927-05	CONN-FLEX -2P-050 KIT 10PCS	▶ 4062172179591
TF1000S-G1 -927-05	CONN-FLEX -2P-200 KIT 10PCS	▶ 4062172179614
TF1000S-G1 -927-05	CORNER-FLEX -4P-003 KIT 10PCS	▶ 4062172179638
TF1000S-G1 -927-05	CORNER-FLEX -4P-015 KIT 10PCS	▶ 4062172179676
TF1000S-G1 -927-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TF1000S-G1 -927-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TF1000S-G1 -927-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TF1000S-G1 -927-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TF1000S-G1 -927-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TF1000S-G1 -927-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TF1000S-G1 -927-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TF1000S-G1 -927-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TF1000S-G1 -927-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TF1000S-G1 -927-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TF1000S-G1 -827-05	CONN-FLEX -2P-050 KIT 10PCS	▶ 4062172179591
TF1000S-G1 -827-05	CONN-FLEX -2P-200 KIT 10PCS	▶ 4062172179614
TF1000S-G1 -827-05	CORNER-FLEX -4P-003 KIT 10PCS	▶ 4062172179638
TF1000S-G1 -827-05	CORNER-FLEX -4P-015 KIT 10PCS	▶ 4062172179676
TF1000S-G1 -827-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TF1000S-G1 -827-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TF1000S-G1 -827-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TF1000S-G1 -827-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TF1000S-G1 -827-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TF1000S-G1 -827-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TF1000S-G1 -827-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TF1000S-G1 -827-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TF1000S-G1 -827-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TF1000S-G1 -827-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TF1000S-G1 -930-05	CONN-FLEX -2P-050 KIT 10PCS	▶ 4062172179591
TF1000S-G1 -930-05	CONN-FLEX -2P-200 KIT 10PCS	▶ 4062172179614
TF1000S-G1 -930-05	CORNER-FLEX -4P-003 KIT 10PCS	▶ 4062172179638
TF1000S-G1 -930-05	CORNER-FLEX -4P-015 KIT 10PCS	▶ 4062172179676
TF1000S-G1 -930-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TF1000S-G1 -930-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TF1000S-G1 -930-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TF1000S-G1 -930-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TF1000S-G1 -930-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889

Scheda della famiglia di prodotto

TF1000S-G1 -930-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TF1000S-G1 -930-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TF1000S-G1 -930-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TF1000S-G1 -930-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TF1000S-G1 -930-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TF1000S-G1 -935-05	CONN-FLEX -2P-050 KIT 10PCS	▶ 4062172179591
TF1000S-G1 -935-05	CONN-FLEX -2P-200 KIT 10PCS	▶ 4062172179614
TF1000S-G1 -935-05	CORNER-FLEX -4P-003 KIT 10PCS	▶ 4062172179638
TF1000S-G1 -935-05	CORNER-FLEX -4P-015 KIT 10PCS	▶ 4062172179676
TF1000S-G1 -935-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TF1000S-G1 -935-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TF1000S-G1 -935-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TF1000S-G1 -935-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TF1000S-G1 -935-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TF1000S-G1 -935-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TF1000S-G1 -935-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TF1000S-G1 -935-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TF1000S-G1 -935-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TF1000S-G1 -935-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TF1000S-G1 -940-05	CONN-FLEX -2P-050 KIT 10PCS	▶ 4062172179591
TF1000S-G1 -940-05	CONN-FLEX -2P-200 KIT 10PCS	▶ 4062172179614
TF1000S-G1 -940-05	CORNER-FLEX -4P-003 KIT 10PCS	▶ 4062172179638
TF1000S-G1 -940-05	CORNER-FLEX -4P-015 KIT 10PCS	▶ 4062172179676
TF1000S-G1 -940-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TF1000S-G1 -940-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TF1000S-G1 -940-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TF1000S-G1 -940-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TF1000S-G1 -940-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TF1000S-G1 -940-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TF1000S-G1 -940-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TF1000S-G1 -940-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TF1000S-G1 -940-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TF1000S-G1 -940-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TF1000S-G1 -830-05	CONN-FLEX -2P-050 KIT 10PCS	▶ 4062172179591
TF1000S-G1 -830-05	CONN-FLEX -2P-200 KIT 10PCS	▶ 4062172179614
TF1000S-G1 -830-05	CORNER-FLEX -4P-003 KIT 10PCS	▶ 4062172179638
TF1000S-G1 -830-05	CORNER-FLEX -4P-015 KIT 10PCS	▶ 4062172179676
TF1000S-G1 -830-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300

Scheda della famiglia di prodotto

TF1000S-G1 -830-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TF1000S-G1 -830-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TF1000S-G1 -830-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TF1000S-G1 -830-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TF1000S-G1 -830-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TF1000S-G1 -830-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TF1000S-G1 -830-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TF1000S-G1 -830-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TF1000S-G1 -830-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TF1000S-G1 -840-05	CONN-FLEX -2P-050 KIT 10PCS	▶ 4062172179591
TF1000S-G1 -840-05	CONN-FLEX -2P-200 KIT 10PCS	▶ 4062172179614
TF1000S-G1 -840-05	CORNER-FLEX -4P-003 KIT 10PCS	▶ 4062172179638
TF1000S-G1 -840-05	CORNER-FLEX -4P-015 KIT 10PCS	▶ 4062172179676
TF1000S-G1 -840-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TF1000S-G1 -840-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TF1000S-G1 -840-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TF1000S-G1 -840-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TF1000S-G1 -840-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TF1000S-G1 -840-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TF1000S-G1 -840-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TF1000S-G1 -840-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TF1000S-G1 -840-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TF1000S-G1 -840-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TF1000S-G1 -865-05	CONN-FLEX -2P-050 KIT 10PCS	▶ 4062172179591
TF1000S-G1 -865-05	CONN-FLEX -2P-200 KIT 10PCS	▶ 4062172179614
TF1000S-G1 -865-05	CORNER-FLEX -4P-003 KIT 10PCS	▶ 4062172179638
TF1000S-G1 -865-05	CORNER-FLEX -4P-015 KIT 10PCS	▶ 4062172179676
TF1000S-G1 -865-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TF1000S-G1 -865-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TF1000S-G1 -865-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TF1000S-G1 -865-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TF1000S-G1 -865-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TF1000S-G1 -865-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TF1000S-G1 -865-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TF1000S-G1 -865-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TF1000S-G1 -865-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TF1000S-G1 -865-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TF1000S-G1 -850-05	CONN-FLEX -2P-050 KIT 10PCS	▶ 4062172179591

Scheda della famiglia di prodotto

TF1000S-G1 -850-05	CONN-FLEX -2P-200 KIT 10PCS	▶ 4062172179614
TF1000S-G1 -850-05	CORNER-FLEX -4P-003 KIT 10PCS	▶ 4062172179638
TF1000S-G1 -850-05	CORNER-FLEX -4P-015 KIT 10PCS	▶ 4062172179676
TF1000S-G1 -850-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TF1000S-G1 -850-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TF1000S-G1 -850-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TF1000S-G1 -850-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TF1000S-G1 -850-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TF1000S-G1 -850-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TF1000S-G1 -850-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TF1000S-G1 -850-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TF1000S-G1 -850-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TF1000S-G1 -850-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TF1500S-G1 -927-05	CONN-FLEX -2P-050 KIT 10PCS	▶ 4062172179591
TF1500S-G1 -927-05	CONN-FLEX -2P-200 KIT 10PCS	▶ 4062172179614
TF1500S-G1 -927-05	CORNER-FLEX -4P-003 KIT 10PCS	▶ 4062172179638
TF1500S-G1 -927-05	CORNER-FLEX -4P-015 KIT 10PCS	▶ 4062172179676
TF1500S-G1 -927-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TF1500S-G1 -927-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TF1500S-G1 -927-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TF1500S-G1 -927-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TF1500S-G1 -927-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TF1500S-G1 -927-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TF1500S-G1 -927-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TF1500S-G1 -927-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TF1500S-G1 -927-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TF1500S-G1 -927-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TF1500S-G1 -827-05	CONN-FLEX -2P-050 KIT 10PCS	▶ 4062172179591
TF1500S-G1 -827-05	CONN-FLEX -2P-200 KIT 10PCS	▶ 4062172179614
TF1500S-G1 -827-05	CORNER-FLEX -4P-003 KIT 10PCS	▶ 4062172179638
TF1500S-G1 -827-05	CORNER-FLEX -4P-015 KIT 10PCS	▶ 4062172179676
TF1500S-G1 -827-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TF1500S-G1 -827-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TF1500S-G1 -827-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TF1500S-G1 -827-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TF1500S-G1 -827-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TF1500S-G1 -827-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TF1500S-G1 -827-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008

Scheda della famiglia di prodotto

TF1500S-G1 -827-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TF1500S-G1 -827-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TF1500S-G1 -827-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TF1500S-G1 -930-05	CONN-FLEX -2P-050 KIT 10PCS	▶ 4062172179591
TF1500S-G1 -930-05	CONN-FLEX -2P-200 KIT 10PCS	▶ 4062172179614
TF1500S-G1 -930-05	CORNER-FLEX -4P-003 KIT 10PCS	▶ 4062172179638
TF1500S-G1 -930-05	CORNER-FLEX -4P-015 KIT 10PCS	▶ 4062172179676
TF1500S-G1 -930-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TF1500S-G1 -930-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TF1500S-G1 -930-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TF1500S-G1 -930-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TF1500S-G1 -930-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TF1500S-G1 -930-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TF1500S-G1 -930-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TF1500S-G1 -930-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TF1500S-G1 -930-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TF1500S-G1 -930-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TF1500S-G1 -935-05	CONN-FLEX -2P-050 KIT 10PCS	▶ 4062172179591
TF1500S-G1 -935-05	CONN-FLEX -2P-200 KIT 10PCS	▶ 4062172179614
TF1500S-G1 -935-05	CORNER-FLEX -4P-003 KIT 10PCS	▶ 4062172179638
TF1500S-G1 -935-05	CORNER-FLEX -4P-015 KIT 10PCS	▶ 4062172179676
TF1500S-G1 -935-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TF1500S-G1 -935-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TF1500S-G1 -935-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TF1500S-G1 -935-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TF1500S-G1 -935-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TF1500S-G1 -935-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TF1500S-G1 -935-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TF1500S-G1 -935-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TF1500S-G1 -935-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TF1500S-G1 -935-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TF1500S-G1 -940-05	CONN-FLEX -2P-050 KIT 10PCS	▶ 4062172179591
TF1500S-G1 -940-05	CONN-FLEX -2P-200 KIT 10PCS	▶ 4062172179614
TF1500S-G1 -940-05	CORNER-FLEX -4P-003 KIT 10PCS	▶ 4062172179638
TF1500S-G1 -940-05	CORNER-FLEX -4P-015 KIT 10PCS	▶ 4062172179676
TF1500S-G1 -940-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TF1500S-G1 -940-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TF1500S-G1 -940-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827

Scheda della famiglia di prodotto

TF1500S-G1 -940-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TF1500S-G1 -940-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TF1500S-G1 -940-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TF1500S-G1 -940-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TF1500S-G1 -940-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TF1500S-G1 -940-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TF1500S-G1 -940-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TF1500S-G1 -830-05	CONN-FLEX -2P-050 KIT 10PCS	▶ 4062172179591
TF1500S-G1 -830-05	CONN-FLEX -2P-200 KIT 10PCS	▶ 4062172179614
TF1500S-G1 -830-05	CORNER-FLEX -4P-003 KIT 10PCS	▶ 4062172179638
TF1500S-G1 -830-05	CORNER-FLEX -4P-015 KIT 10PCS	▶ 4062172179676
TF1500S-G1 -830-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TF1500S-G1 -830-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TF1500S-G1 -830-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TF1500S-G1 -830-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TF1500S-G1 -830-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TF1500S-G1 -830-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TF1500S-G1 -830-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TF1500S-G1 -830-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TF1500S-G1 -830-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TF1500S-G1 -830-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TF1500S-G1 -840-05	CONN-FLEX -2P-050 KIT 10PCS	▶ 4062172179591
TF1500S-G1 -840-05	CONN-FLEX -2P-200 KIT 10PCS	▶ 4062172179614
TF1500S-G1 -840-05	CORNER-FLEX -4P-003 KIT 10PCS	▶ 4062172179638
TF1500S-G1 -840-05	CORNER-FLEX -4P-015 KIT 10PCS	▶ 4062172179676
TF1500S-G1 -840-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TF1500S-G1 -840-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TF1500S-G1 -840-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TF1500S-G1 -840-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TF1500S-G1 -840-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TF1500S-G1 -840-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TF1500S-G1 -840-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TF1500S-G1 -840-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TF1500S-G1 -840-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TF1500S-G1 -840-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TF1500S-G1 -865-05	CONN-FLEX -2P-050 KIT 10PCS	▶ 4062172179591
TF1500S-G1 -865-05	CONN-FLEX -2P-200 KIT 10PCS	▶ 4062172179614
TF1500S-G1 -865-05	CORNER-FLEX -4P-003 KIT 10PCS	▶ 4062172179638

Scheda della famiglia di prodotto

TF1500S-G1 -865-05	CORNER-FLEX -4P-015 KIT 10PCS	▶ 4062172179676
TF1500S-G1 -865-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TF1500S-G1 -865-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TF1500S-G1 -865-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TF1500S-G1 -865-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TF1500S-G1 -865-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TF1500S-G1 -865-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TF1500S-G1 -865-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TF1500S-G1 -865-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TF1500S-G1 -865-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TF1500S-G1 -865-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TF1500S-G1 -850-05	CONN-FLEX -2P-050 KIT 10PCS	▶ 4062172179591
TF1500S-G1 -850-05	CONN-FLEX -2P-200 KIT 10PCS	▶ 4062172179614
TF1500S-G1 -850-05	CORNER-FLEX -4P-003 KIT 10PCS	▶ 4062172179638
TF1500S-G1 -850-05	CORNER-FLEX -4P-015 KIT 10PCS	▶ 4062172179676
TF1500S-G1 -850-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TF1500S-G1 -850-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TF1500S-G1 -850-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TF1500S-G1 -850-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TF1500S-G1 -850-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TF1500S-G1 -850-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TF1500S-G1 -850-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TF1500S-G1 -850-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TF1500S-G1 -850-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TF1500S-G1 -850-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TF2000S-G1 -827-05	CONN-FLEX -2P-050 KIT 10PCS	▶ 4062172179591
TF2000S-G1 -827-05	CONN-FLEX -2P-200 KIT 10PCS	▶ 4062172179614
TF2000S-G1 -827-05	CORNER-FLEX -4P-003 KIT 10PCS	▶ 4062172179638
TF2000S-G1 -827-05	CORNER-FLEX -4P-015 KIT 10PCS	▶ 4062172179676
TF2000S-G1 -827-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TF2000S-G1 -827-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TF2000S-G1 -827-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TF2000S-G1 -827-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TF2000S-G1 -827-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TF2000S-G1 -827-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TF2000S-G1 -827-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TF2000S-G1 -827-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TF2000S-G1 -827-05	FX -SC08-G2-CT4PJ	▶ 4052899464858

Scheda della famiglia di prodotto

TF2000S-G1 -827-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TF2000S-G1 -927-04	CONN-FLEX -2P-050 KIT 10PCS	▶ 4062172179591
TF2000S-G1 -927-04	CONN-FLEX -2P-200 KIT 10PCS	▶ 4062172179614
TF2000S-G1 -927-04	CORNER-FLEX -4P-003 KIT 10PCS	▶ 4062172179638
TF2000S-G1 -927-04	CORNER-FLEX -4P-015 KIT 10PCS	▶ 4062172179676
TF2000S-G1 -927-04	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TF2000S-G1 -927-04	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TF2000S-G1 -927-04	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TF2000S-G1 -927-04	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TF2000S-G1 -927-04	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TF2000S-G1 -927-04	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TF2000S-G1 -927-04	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TF2000S-G1 -927-04	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TF2000S-G1 -927-04	FX -SC08-G2-CT4PJ	▶ 4052899464858
TF2000S-G1 -927-04	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TF2000S-G1 -930-04	CONN-FLEX -2P-050 KIT 10PCS	▶ 4062172179591
TF2000S-G1 -930-04	CONN-FLEX -2P-200 KIT 10PCS	▶ 4062172179614
TF2000S-G1 -930-04	CORNER-FLEX -4P-003 KIT 10PCS	▶ 4062172179638
TF2000S-G1 -930-04	CORNER-FLEX -4P-015 KIT 10PCS	▶ 4062172179676
TF2000S-G1 -930-04	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TF2000S-G1 -930-04	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TF2000S-G1 -930-04	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TF2000S-G1 -930-04	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TF2000S-G1 -930-04	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TF2000S-G1 -930-04	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TF2000S-G1 -930-04	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TF2000S-G1 -930-04	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TF2000S-G1 -930-04	FX -SC08-G2-CT4PJ	▶ 4052899464858
TF2000S-G1 -930-04	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TF2000S-G1 -935-04	CONN-FLEX -2P-050 KIT 10PCS	▶ 4062172179591
TF2000S-G1 -935-04	CONN-FLEX -2P-200 KIT 10PCS	▶ 4062172179614
TF2000S-G1 -935-04	CORNER-FLEX -4P-003 KIT 10PCS	▶ 4062172179638
TF2000S-G1 -935-04	CORNER-FLEX -4P-015 KIT 10PCS	▶ 4062172179676
TF2000S-G1 -935-04	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TF2000S-G1 -935-04	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TF2000S-G1 -935-04	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TF2000S-G1 -935-04	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TF2000S-G1 -935-04	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889

Scheda della famiglia di prodotto

TF2000S-G1 -935-04	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TF2000S-G1 -935-04	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TF2000S-G1 -935-04	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TF2000S-G1 -935-04	FX -SC08-G2-CT4PJ	▶ 4052899464858
TF2000S-G1 -935-04	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TF2000S-G1 -940-04	CONN-FLEX -2P-050 KIT 10PCS	▶ 4062172179591
TF2000S-G1 -940-04	CONN-FLEX -2P-200 KIT 10PCS	▶ 4062172179614
TF2000S-G1 -940-04	CORNER-FLEX -4P-003 KIT 10PCS	▶ 4062172179638
TF2000S-G1 -940-04	CORNER-FLEX -4P-015 KIT 10PCS	▶ 4062172179676
TF2000S-G1 -940-04	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TF2000S-G1 -940-04	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TF2000S-G1 -940-04	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TF2000S-G1 -940-04	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TF2000S-G1 -940-04	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TF2000S-G1 -940-04	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TF2000S-G1 -940-04	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TF2000S-G1 -940-04	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TF2000S-G1 -940-04	FX -SC08-G2-CT4PJ	▶ 4052899464858
TF2000S-G1 -940-04	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TF2000S-G1 -830-05	CONN-FLEX -2P-050 KIT 10PCS	▶ 4062172179591
TF2000S-G1 -830-05	CONN-FLEX -2P-200 KIT 10PCS	▶ 4062172179614
TF2000S-G1 -830-05	CORNER-FLEX -4P-003 KIT 10PCS	▶ 4062172179638
TF2000S-G1 -830-05	CORNER-FLEX -4P-015 KIT 10PCS	▶ 4062172179676
TF2000S-G1 -830-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TF2000S-G1 -830-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TF2000S-G1 -830-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TF2000S-G1 -830-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TF2000S-G1 -830-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TF2000S-G1 -830-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TF2000S-G1 -830-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TF2000S-G1 -830-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TF2000S-G1 -830-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TF2000S-G1 -830-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TF2000S-G1 -840-05	CONN-FLEX -2P-050 KIT 10PCS	▶ 4062172179591
TF2000S-G1 -840-05	CONN-FLEX -2P-200 KIT 10PCS	▶ 4062172179614
TF2000S-G1 -840-05	CORNER-FLEX -4P-003 KIT 10PCS	▶ 4062172179638
TF2000S-G1 -840-05	CORNER-FLEX -4P-015 KIT 10PCS	▶ 4062172179676
TF2000S-G1 -840-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300

Scheda della famiglia di prodotto

TF2000S-G1 -840-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TF2000S-G1 -840-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TF2000S-G1 -840-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TF2000S-G1 -840-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TF2000S-G1 -840-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TF2000S-G1 -840-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TF2000S-G1 -840-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TF2000S-G1 -840-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TF2000S-G1 -840-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TF2000S-G1 -865-05	CONN-FLEX -2P-050 KIT 10PCS	▶ 4062172179591
TF2000S-G1 -865-05	CONN-FLEX -2P-200 KIT 10PCS	▶ 4062172179614
TF2000S-G1 -865-05	CORNER-FLEX -4P-003 KIT 10PCS	▶ 4062172179638
TF2000S-G1 -865-05	CORNER-FLEX -4P-015 KIT 10PCS	▶ 4062172179676
TF2000S-G1 -865-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TF2000S-G1 -865-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TF2000S-G1 -865-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TF2000S-G1 -865-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TF2000S-G1 -865-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TF2000S-G1 -865-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TF2000S-G1 -865-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TF2000S-G1 -865-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TF2000S-G1 -865-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TF2000S-G1 -865-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046
TF2000S-G1 -850-05	CONN-FLEX -2P-050 KIT 10PCS	▶ 4062172179591
TF2000S-G1 -850-05	CONN-FLEX -2P-200 KIT 10PCS	▶ 4062172179614
TF2000S-G1 -850-05	CORNER-FLEX -4P-003 KIT 10PCS	▶ 4062172179638
TF2000S-G1 -850-05	CORNER-FLEX -4P-015 KIT 10PCS	▶ 4062172179676
TF2000S-G1 -850-05	LTS-SLIMTRACK -2000 KIT 5 PCS	▶ 4062172207300
TF2000S-G1 -850-05	FX-QMS-G1 -T45D19H19-300	▶ 4052899448667
TF2000S-G1 -850-05	FX-QMW-G1 -TK30D46H27-300	▶ 4052899448827
TF2000S-G1 -850-05	FX-QMS-G1 -TU15H6-300	▶ 4052899448865
TF2000S-G1 -850-05	FX-QMS-G1 -TU15H6W3-300	▶ 4052899448889
TF2000S-G1 -850-05	FX-QMS-G1 -TU16H12W3-300	▶ 4052899448988
TF2000S-G1 -850-05	FX-QMS-G1 -TR19H16-300	▶ 4052899449008
TF2000S-G1 -850-05	FX-QMS-G1 -TU16H12-300	▶ 4052899448964
TF2000S-G1 -850-05	FX -SC08-G2-CT4PJ	▶ 4052899464858
TF2000S-G1 -850-05	FX-QMS-G1 -TU16H12LS-300	▶ 4052899449046

Scheda della famiglia di prodotto

Clausola

Con riserva di modifiche senza preavviso. Salvo errori o omissioni. Assicurarsi sempre di utilizzare la versione più recente.