

# LEDinspect WIRE-FREE SLIM 600



#### Wire-Free charging compatible

Simply place on the Wire-Free charging pad to securely hold and recharge



#### Slim design

Easily place bright 600 Lumens white light where you need it most



#### **Built to last**

IK08 and IP54 rated to survive the rigors of the professional workshop



## The easiest way to recharge inspection lights

Inspection lights are a vital part of any professional's toolbox. Removing the need to find and plug into the correct charging cable, OSRAM's wire-free inspection lights recharge without hassle by simply being placed on the magnetic charging pad. This innovative design not only enhances convenience but also supports an uninterrupted workflow.

# Product family datasheet

# Technical data

|                     | Product information                         | General Product<br>Information | Electrical Data |                 |
|---------------------|---|--------------------------------|-----------------|-----------------|
| Product description | Application (Category and Product specific) | Global order reference         | Nominal voltage | Nominal wattage |
| INSPECTION LAMP     | LED inspection lights                       | LEDIL422                       | 3.7 V           | 5 W             |

|                     | Photometric Data   |                       |                   | Physical Attributes & Dimensions |
|---------------------|--------------------|-----------------------|-------------------|----------------------------------|
| Product description | Light color<br>LED | Nominal luminous flux | Color temperature | Height                           |
| INSPECTION LAMP     | White              | 600 lm                | 5700 K            | 37.0 mm                          |

|                     |         |          |                | Lifetime<br>Data |
|---------------------|---------|----------|----------------|------------------|
| Product description | Width   | Length   | Product weight | Guarantee        |
| INSPECTION LAMP     | 43.0 mm | 325.0 mm | 240.00 g       | 2 years          |

|                     | Capabilities | Logistical data       | Environmental & Regulatory Information<br>Information according Art. 33 of EU<br>Regulation (EC) 1907/2006 (REACh) |                      |
|---------------------|--------------|-----------------------|--|----------------------|
| Product description | Technology   | Watt hour per battery | Candidate list substance 1   | CAS No. of substance |
| INSPECTION LAMP     | LED          | 9.20                  | Lead   | 7439-92-1            |

| Product description | Safe use instruction  | Declaration no. in SCIP database             |
|---------------------|---|--|
| INSPECTION LAMP     | The identification of<br>the Candidate List<br>substance is<br>sufficient to allow<br>safe use of the<br>article. | 39eac002-3892-<br>45bc-922c-<br>294d6f9430fb |

# Product family datasheet

#### Download Data

#### File



User instruction

LEDinspect WIRE-FREE SLIM 600



User instruction

GPRS\_Safety symbols instructions

# **Application advice**

For more detailed application information and graphics please see product datasheet.

## Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.